

**NEW**  
more on  
reverse

# Entrance Caps for Rigid, IMC, EMT and PVC

*New Sizes and a Combo Style That Saves \$\$\$!*



4"  
**PVC109**  
Includes  
adapter sleeves  
for 3-1/2"  
and 3"  
conduit

**NEW!**  
**SAVE \$\$\$**

| Catalog Number | UPC/DEI/NAED Mfg. #018997 | Trade Size  | Clamp-on Entrance Cap for Rigid, IMC, EMT, PVC   |
|----------------|---------------------------|-------------|--------------------------------------------------|
| <b>PVC106</b>  | 12512                     | 2-1/2       |                                                  |
| <b>PVC109</b>  | 12513                     | 3, 3-1/2, 4 | Combo style w/ adapter sleeves for 3" and 3-1/2" |

See reverse for  
Arlington's complete line  
of entrance caps.

Whatever your entrance cap needs, Arlington has one that fits the bill.

We have two new sizes in our line of PVC Entrance Caps! In addition to the 1/2" to 2" trade sizes, we now offer a **2-1/2"** cap and the **combo 3" • 3-1/2" • 4"**.

As for clamp-on styles, we offer 1/2" to 4" caps to fit rigid, EMT and PVC.

PVC109, our new **combo style** is the same size as a 3" to 4" metal entrance cap, but it costs the same as a 3" PVC cap. **It saves money and the hassle of stocking extra inventory**

because it works on three conduit sizes – 3", 3-1/2" and 4".

Priced as a 3", the (supplied) adapter sleeves allow the 4" size to fit a 3" or 3-1/2" conduit.

**A**   
**Arlington**

1 Stauffer Industrial Park  
Scranton, PA 18517  
**800/233.4717**  
**Fax 570/562.0646**  
**www.aifittings.com**

# Entrance Caps for Rigid, IMC, EMT and PVC

*Arlington has an Entrance Cap to fit your needs.*


PVC100  
thru  
PVC104



PVC105  
PVC106  
PVC129




PVC109  
w/ adapter  
sleeves




**PVC for rigid • IMC • EMT • Rigid PVC.** 1/2" to 2" sizes include adapter sleeve for EMT.

| CATALOG NUMBER | UPC/DCI/NAED MFG #01 8997 | TRADE SIZE         | STD PKG  | DIM A         | DIM B        |
|----------------|---------------------------|--------------------|----------|---------------|--------------|
| PVC100         | 73100                     | 1/2                | 25       | 2.625         | 2.900        |
| PVC101         | 73101                     | 3/4                | 25       | 3.340         | 3.150        |
| PVC102         | 73102                     | 1                  | 20       | 3.340         | 3.360        |
| PVC103         | 73103                     | 1-1/4              | 10       | 4.125         | 3.530        |
| PVC104         | 73104                     | 1-1/2              | 10       | 4.145         | 3.530        |
| PVC105         | 73105                     | 2                  | 5        | 7.790         | 6.660        |
| <b>PVC106</b>  | <b>12512</b>              | <b>2-1/2</b>       | <b>1</b> | <b>9.790</b>  | <b>7.620</b> |
| <b>PVC109</b>  | <b>12513</b>              | <b>3, 3-1/2, 4</b> | <b>1</b> | <b>12.650</b> | <b>9.070</b> |
| PVC129         | 73129                     | 2-1/2 Mast         | 1        | 7.750         | 6.660        |




PVC100 - PVC104



PVC105 - PVC129

**NEW!**

**Clamp-on Style for rigid • IMC • EMT**




| CATALOG NUMBER | UPC/DCI/NAED MFG #01 8997 | TRADE SIZE | UNIT PKG | STD PKG | DIM A | DIM B | HOLE SIZES            |
|----------------|---------------------------|------------|----------|---------|-------|-------|-----------------------|
| 140            | 00140                     | 1/2        | 10       | 10      | 2.60  | 2.68  | (4).30                |
| 141            | 00141                     | 3/4        | 10       | 10      | 2.72  | 3.80  | (2).38 (3).40         |
| 142            | 00142                     | 1          | 10       | 10      | 3.11  | 3.32  | (2).44 (3).50         |
| 143            | 00143                     | 1-1/4      | 5        | 25      | 3.20  | 4.46  | (2).42 (3).63         |
| 144            | 00144                     | 1-1/2      | 3        | 15      | 4.34  | 4.85  | (2).60 (3).75         |
| 145            | 00145                     | 2          | 10       | 10      | 4.55  | 6.62  | (2).75 (3)1.00 (1).53 |
| 146            | 00146                     | 2-1/2      | 1        | 1       | 7.80  | 9.74  | (3)1.31 (3).87 (1).99 |
| 147            | 00147                     | 3          | 1        | 1       | 8.00  | 10.50 | (3)1.31 (3).87 (1).99 |
| 148            | 00148                     | 3-1/2      | 1        | 1       | 9.25  | 12.50 | (3)1.73 (4)1.10       |
| 149            | 00149                     | 4          | 1        | 1       | 9.25  | 12.50 | (3)1.73 (4)1.10       |

**PVC Entrance Caps with galvanized steel strap**



| CATALOG NUMBER | UPC/DCI/NAED MFG #01 8997 | TRADE SIZE         | STD PKG | DIM A | DIM B | HOLE SIZES |
|----------------|---------------------------|--------------------|---------|-------|-------|------------|
| PVC660         | 73660                     | (3) 3, 6, 4, 2     | 50      | 2.700 | 2.520 | (2).53     |
| PVC662         | 73662                     | (3) 1/0 to (3) 4/0 | 10      | 4.125 | 3.750 | (2).69     |



**Arlington**





1 Stauffer Industrial Park  
Scranton, PA 18517  
**800/233.4717**  
**Fax 570/562.0646**  
**www.aifittings.com**

**Service Entrance Cable Caps Zinc Diecast**

| CATALOG NUMBER | UPC/DCI/NAED MFG #01 8997 | TRADE SIZE     | STD PKG | DIM A | DIM B | DIM C | HOLE SIZES |
|----------------|---------------------------|----------------|---------|-------|-------|-------|------------|
| 660            | 00660                     | 7/8" dia. max. | 50      | 2.060 | 2.970 | 2.260 | (2).58     |
| 662            | 00662                     | 1/0 to 4/0     | 10      | 3.180 | 4.520 | 3.600 | (2).80     |



660



Distributed by

**NEW**  
more on  
reverse

# Entrance Caps for Rigid, IMC, EMT and PVC

## New Sizes and a Combo Style That Saves \$\$\$!



4"  
**PVC109**  
Includes  
adapter sleeves  
for 3-1/2"  
and 3"  
conduit

**NEW!**  
**SAVE \$\$\$**

| Catalog Number | UPC/DEI/NAED Mfg. #018997 | Trade Size  | Clamp-on Entrance Cap for Rigid, IMC, EMT, PVC   |
|----------------|---------------------------|-------------|--------------------------------------------------|
| <b>PVC106</b>  | 12512                     | 2-1/2       |                                                  |
| <b>PVC109</b>  | 12513                     | 3, 3-1/2, 4 | Combo style w/ adapter sleeves for 3" and 3-1/2" |

See reverse for  
Arlington's complete line  
of entrance caps.

Whatever your entrance cap needs, Arlington has one that fits the bill.

We have two new sizes in our line of PVC Entrance Caps! In addition to the 1/2" to 2" trade sizes, we now offer a **2-1/2"** cap and the **combo 3" • 3-1/2" • 4"**.

As for clamp-on styles, we offer 1/2" to 4" caps to fit rigid, EMT and PVC.

PVC109, our new **combo style** is the same size as a 3" to 4" metal entrance cap, but it costs the same as a 3" PVC cap. **It saves money and the hassle of stocking extra inventory**

because it works on three conduit sizes – 3", 3-1/2" and 4".

Priced as a 3", the (supplied) adapter sleeves allow the 4" size to fit a 3" or 3-1/2" conduit.

**A**   
**Arlington**

1 Stauffer Industrial Park  
Scranton, PA 18517  
**800/233.4717**  
**Fax 570/562.0646**  
**www.aifittings.com**

# Entrance Caps for Rigid, IMC, EMT and PVC

*Arlington has an Entrance Cap to fit your needs.*


PVC100  
thru  
PVC104



PVC105  
PVC106  
PVC129




PVC109  
w/ adapter  
sleeves




**PVC for rigid • IMC • EMT • Rigid PVC.** 1/2" to 2" sizes include adapter sleeve for EMT.

| CATALOG NUMBER | UPC/DCI/NAED MFG #01 8997 | TRADE SIZE         | STD PKG  | DIM A         | DIM B        |
|----------------|---------------------------|--------------------|----------|---------------|--------------|
| PVC100         | 73100                     | 1/2                | 25       | 2.625         | 2.900        |
| PVC101         | 73101                     | 3/4                | 25       | 3.340         | 3.150        |
| PVC102         | 73102                     | 1                  | 20       | 3.340         | 3.360        |
| PVC103         | 73103                     | 1-1/4              | 10       | 4.125         | 3.530        |
| PVC104         | 73104                     | 1-1/2              | 10       | 4.145         | 3.530        |
| PVC105         | 73105                     | 2                  | 5        | 7.790         | 6.660        |
| <b>PVC106</b>  | <b>12512</b>              | <b>2-1/2</b>       | <b>1</b> | <b>9.790</b>  | <b>7.620</b> |
| <b>PVC109</b>  | <b>12513</b>              | <b>3, 3-1/2, 4</b> | <b>1</b> | <b>12.650</b> | <b>9.070</b> |
| PVC129         | 73129                     | 2-1/2 Mast         | 1        | 7.750         | 6.660        |



PVC100 - PVC104




PVC105 - PVC129




**Clamp-on Style for rigid • IMC • EMT**

| CATALOG NUMBER | UPC/DCI/NAED MFG #01 8997 | TRADE SIZE | UNIT PKG | STD PKG | DIM A | DIM B | HOLE SIZES            |
|----------------|---------------------------|------------|----------|---------|-------|-------|-----------------------|
| 140            | 00140                     | 1/2        | 10       | 10      | 2.60  | 2.68  | (4).30                |
| 141            | 00141                     | 3/4        | 10       | 10      | 2.72  | 3.80  | (2).38 (3).40         |
| 142            | 00142                     | 1          | 10       | 10      | 3.11  | 3.32  | (2).44 (3).50         |
| 143            | 00143                     | 1-1/4      | 5        | 25      | 3.20  | 4.46  | (2).42 (3).63         |
| 144            | 00144                     | 1-1/2      | 3        | 15      | 4.34  | 4.85  | (2).60 (3).75         |
| 145            | 00145                     | 2          | 10       | 10      | 4.55  | 6.62  | (2).75 (3)1.00 (1).53 |
| 146            | 00146                     | 2-1/2      | 1        | 1       | 7.80  | 9.74  | (3)1.31 (3).87 (1).99 |
| 147            | 00147                     | 3          | 1        | 1       | 8.00  | 10.50 | (3)1.31 (3).87 (1).99 |
| 148            | 00148                     | 3-1/2      | 1        | 1       | 9.25  | 12.50 | (3)1.73 (4)1.10       |
| 149            | 00149                     | 4          | 1        | 1       | 9.25  | 12.50 | (3)1.73 (4)1.10       |



**PVC Entrance Caps with galvanized steel strap**

| CATALOG NUMBER | UPC/DCI/NAED MFG #01 8997 | TRADE SIZE         | STD PKG | DIM A | DIM B | HOLE SIZES |
|----------------|---------------------------|--------------------|---------|-------|-------|------------|
| PVC660         | 73660                     | (3) 3, 6, 4, 2     | 50      | 2.700 | 2.520 | (2).53     |
| PVC662         | 73662                     | (3) 1/0 to (3) 4/0 | 10      | 4.125 | 3.750 | (2).69     |



# A

**Arlington**





1 Stauffer Industrial Park  
Scranton, PA 18517  
**800/233.4717**  
**Fax 570/562.0646**  
**www.aifittings.com**

**Service Entrance Cable Caps Zinc Diecast**

| CATALOG NUMBER | UPC/DCI/NAED MFG #01 8997 | TRADE SIZE     | STD PKG | DIM A | DIM B | DIM C | HOLE SIZES |
|----------------|---------------------------|----------------|---------|-------|-------|-------|------------|
| 660            | 00660                     | 7/8" dia. max. | 50      | 2.060 | 2.970 | 2.260 | (2).58     |
| 662            | 00662                     | 1/0 to 4/0     | 10      | 3.180 | 4.520 | 3.600 | (2).80     |



660



Distributed by