

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



1597TRBK Radiant Self Test TR Gfci 15A 125V BK

Pass & Seymour/Legrand

Catalog Number	1597TRBK	
Manufacturer	Pass & Seymour/Legrand	
Description	Gfci Receptacles From The Radiant Registered Collection	
	Self-Test Automatically Every Three Seconds to Ensure Reliable	
	Protection From Shock Due to Ground Fault Occurrences.	
	Meeting National Electrical Code Requirements For Ground Faul	
	Protection, Gfci Receptacles Make It Easier to Recognize and Fix Trips Right Where They Happen – No More Confusion At The	
	Breaker Box. Maximize Safety, In Style, With Gfci Protection	
	Featuring The Sleek, Clean Lines Of Radiant. Gfci Protection Is	
	Required By Code In Bathro	
Weight per unit	. ,	
Product Category		
itures		
actuator	Control Circuit	
amperage rating	15	
connection	Back and side wire	
indoor/outdoor	Indoor	
interrupt rating	4 to 6 mA	
Material	Thermoplatic	
Mounting Type	Box	
Number of Gangs		
Outlet Type	•	
Poles		
trip range		
Trip Type		
Voltage Rating	125	
nensions and Weight		
Height	4.2	
Length	1.03	
Width	1.73	



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

	2	~ r	1	•.	\sim	~~
	_					
ш	es				v	
_			_		_	
			•			

P&S 1597TRBK RADIANT SLF TST TR GFC
GFCI receptacles from the radiant Registered Collection self-test automatically every three seconds to ensure reliable protection from shock due to ground fault occurrences. Meeting National Electrical Code requirements for ground fault protection, GFCI receptacles make it easier to recognize and fix trips right where they happen – no more confusion at the breaker box. Maximize safety, in style, with GFCI protection featuring the sleek, clean lines of radiant. GFCI protection is required by code in bathro
GFCI receptacles from the radiant Registered Collection self-test automatically every three seconds to ensure reliable protection from shock due to ground fault occurrences. Meeting National Electrical Code requirements for ground fault protection, GFCI receptacles make it easier to recognize and fix trips right where they happen – no more confusion at the breaker box. Maximize safety, in style, with GFCI protection featuring the sleek, clean lines of radiant. GFCI protection is required by code in bathro
Radiant SLF TST TR Gfci 15A 125V BK
Pass & Seymour invented the GFCI receptacle, and at Legrand, we're constantly reinventing it to ensure the highest level of safety possible. From the most advanced self-testing device to audible alarms to nightlight combos, we're continuously resetting the bar on GFCI innovation and safety.

Mar

Brand	LEGRAND-PASS & SEYMOUR
GTIN	00785007048636
Manufacturers Part Number	1597TRBK
UPC	785007048636

Taxonomies, Classifications, and Categories

Category Description	Residential GFCI devices
Туре	Outlet
Trade Size	
Amperage	15.0
Packaging	

Packaging		
Carton	1	
Package	10	
Weight Per each	0.275	



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Uses, Certifications, and Standards

Application	Commercial/Residential
environmental conditions	95% Humidity, UL 94 V2
Frequency Rating	60 Hz
Operating Temperature	-35°C to +66°C
standard	UL, CULUS, cULus, UL Listed, FSUL