

ELLIOTT ELECTRIC SUPPLY 660 Frazier Commerce Dr. 77303-0000, TX Conroe Phone: 936-788-6850 Fax: 936-788-8283



Type

270FSA 3/4" Alu Cond Body CVR *Appleton/Oz Gedney*

Catalog Number	270FSA				
Manufacturer	Appleton/Oz Gedney				
Description	FM7 Wedge-Lok Blank Clip Cover With Screw, Hub Size: 3/4 In, Form: 7, Mounting: Screw-In, Material: Cast Aluminum, Finish: Epoxy Powder Coat, Standard: UI 514A, UI 514B, UI File Number E2527, Csa C22.2 No. 18.3, Csa 065183, Nema FB-1, For				
Weight per unit	0.1500 (lbs/each)				
Product Category	Alum				
Features					
Form	7				
Material, Color, and Finish					
Finish	Epoxy Powder Coat				
Dimensions and Weight					
Hub Size	3/4				
Descriptions					
Description	3/4" ALU COND BODY CVR				
extra long description	APP 270FSA 3/4 FM7 COVER SAND-C				
Long Description	FM7 Wedge-Lok Blank Clip Cover With Screw, Hub Size: 3/4 IN, Form: 7, Mounting: Screw-In, Material: Cast Aluminum, Finish: Epoxy Powder Coat, Standard: UL 514A, UL 514B, UL File Numbe E2527, CSA C22.2 No. 18.3, CSA 065183, NEMA FB-1, For				
Product Type	3/4 FM7 Cover Sand-Cast Al				
Special Features	Approved for use in wet locations; Stainless steel screws; The cover is secured with clips, not screws; Unique Wedge-Lok clip cover design allows easy removal without damaging the conduit body; Wiring capacity: 0.8 CU-IN as per NEC 314.16(A)				
Manufacturer Information					
Brand	Appleton				
GTIN	00781381601276				
Manufacturers Part Number	270FSA				
UPC	781381601276				
Taxonomies, Classifications, and G	Categories				
Category Description	FORM 7, 8, CONDULETS, COVERS, & GASKETS				
T	District Office Control Multiple Control				

Blank Clip Cover With Screw



Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

660 Frazier Commerce Dr. 77303-0000, TX Conroe Phone: 936-788-6850 Fax: 936-788-8283

				g

Carton	50	
Package	100	
Weight Per each	0.15	

Uses, Certifications, and Standards

Application	For FM7 Unilet Conduit Outlet Bodies
Mounting	Screw-In
standard	UL 514A, UL 514B, UL File Number E2527, CSA C22.2 No. 18.3,
	CSA 065183, NEMA FB-1