


## Phenolic Boxes

### Carlton® Brown Phenolic Boxes

New Fire Rating! Carlton® phenolic boxes can be installed in the same stud cavity of a shared two-hour wall. They may also face opposite directions with only a 3" horizontal separation — ideal for multi-family construction!

- All Phenolic boxes are listed to UL514C
- All Phenolic boxes are listed for masonry walls
- All Phenolic boxes are UL® Classified for 2-hr. fire wall and/or fire ceiling
- All Phenolic boxes meet NEMA OS-2
- All Phenolic boxes are permissible for use with 90° C conductors
- UL® File E11461 and R9140

#### One-Gang Nail-On 9.0–18.0 Cu. In.



| CAT. NO. | SIZE CU. IN. | MOUNTING MEANS        | DESCRIPTION | DIMENSIONS (IN.)                                                                                         | STD. CTN. |
|----------|--------------|-----------------------|-------------|----------------------------------------------------------------------------------------------------------|-----------|
| 2050-UB  | 9.0          | Bottom Nails          | —           | 3 <sup>9</sup> / <sub>16</sub> L x 2 <sup>1</sup> / <sub>4</sub> W x 1 <sup>13</sup> / <sub>16</sub> D   | 100       |
| 2070     | 14.0         | Bottom Nails          | —           | 3 <sup>9</sup> / <sub>16</sub> L x 2 <sup>1</sup> / <sub>4</sub> W x 2 <sup>5</sup> / <sub>8</sub> D     | 100       |
| 2030     | 16.0         | Bottom Nails          | —           | 3 <sup>9</sup> / <sub>16</sub> L x 2 <sup>15</sup> / <sub>32</sub> W x 2 <sup>13</sup> / <sub>16</sub> D | 100       |
| 1040     | 18.0         | Compound Angled Nails | —           | 3 <sup>9</sup> / <sub>16</sub> L x 2 <sup>1</sup> / <sub>2</sub> W x 3 <sup>1</sup> / <sub>8</sub> D     | 100       |
| 1240     | 18.0         | Recessed Angled Nails | —           | 3 <sup>11</sup> / <sub>16</sub> L x 2 <sup>1</sup> / <sub>4</sub> W x 3 <sup>1</sup> / <sub>8</sub> D    | 100       |
| 2000     | 18.0         | Bottom Nails          | "Classic"   | 3 <sup>11</sup> / <sub>16</sub> L x 2 <sup>1</sup> / <sub>4</sub> W x 3 <sup>1</sup> / <sub>8</sub> D    | 100       |

#### One-Gang Nail-On 20.3–22.5 Cu. In.



| CAT. NO.  | SIZE CU. IN. | MOUNTING MEANS        | DESCRIPTION | DIMENSIONS (IN.)                                                                                      | STD. CTN. |
|-----------|--------------|-----------------------|-------------|-------------------------------------------------------------------------------------------------------|-----------|
| 1250-UB   | 20.3         | Recessed Angled Nails | —           | 3 <sup>7</sup> / <sub>8</sub> L x 2 <sup>3</sup> / <sub>8</sub> W x 3 <sup>3</sup> / <sub>8</sub> D   | 100       |
| 1250-UB-S | 20.3         | Recessed Angled Nails | —           | 3 <sup>7</sup> / <sub>8</sub> L x 2 <sup>3</sup> / <sub>8</sub> W x 3 <sup>3</sup> / <sub>8</sub> D   | 100       |
| 1050-UB   | 21.0         | Compound Angled Nails | —           | 3 <sup>7</sup> / <sub>8</sub> L x 2 <sup>5</sup> / <sub>16</sub> W x 3 <sup>3</sup> / <sub>8</sub> D  | 50        |
| 1260      | 22.5         | Recessed Angled Nails | —           | 3 <sup>7</sup> / <sub>8</sub> L x 2 <sup>3</sup> / <sub>8</sub> W x 3 <sup>29</sup> / <sub>32</sub> D | 50        |
| 1260-S    | 22.5         | Recessed Angled Nails | —           | 3 <sup>7</sup> / <sub>8</sub> L x 2 <sup>3</sup> / <sub>8</sub> W x 3 <sup>29</sup> / <sub>32</sub> D | 50        |

## Phenolic Boxes

### One-Gang Brackets 16.0–20.3 Cu. In.



2030-502



2030-702



2000-738



1250-112



| CAT. NO. | SIZE CU. IN. | MOUNTING MEANS                         | DESCRIPTION | DIMENSIONS (IN.)   | STD. CTN. |
|----------|--------------|----------------------------------------|-------------|--------------------|-----------|
| 2030-502 | 16.0         | ½" Offset Bracket for Wood/Steel Studs | —           | 3⅝ L x 2¼ W x 2⅝ D | 100       |
| 2030-702 | 16.0         | ¼" Offset Bracket for Wood/Steel Studs | —           | 3⅝ L x 2¼ W x 2⅝ D | 100       |
| 2000-738 | 18.0         | ¾" Offset Bracket for Wood/Steel Studs | —           | 3⅝ L x 2¼ W x 2⅝ D | 100       |
| 1250-112 | 20.3         | ½" Offset Bracket for Wood/Steel Studs | —           | 3⅝ L x 2¼ W x 2⅝ D | 50        |

### Two-Gang Nail-On 27.5–40.5 Cu. In.



1032-C



1032-UB



1052-C



1052-C-SQ



1052-PC



1052-UB



1072



1072-C



| CAT. NO.  | SIZE CU. IN. | MOUNTING MEANS        | DESCRIPTION             | DIMENSIONS (IN.)    | STD. CTN. |
|-----------|--------------|-----------------------|-------------------------|---------------------|-----------|
| 1032-C    | 27.5         | Compound Angled Nails | High Clamps             | 3⅝ L x 4⅞ W x 2⅞ D  | 50        |
| 1032-UB   | 27.5         | Compound Angled Nails | #36 Clamps, Bulk Packed | 3⅝ L x 4⅞ W x 2⅞ D  | 50        |
| 1052-C    | 32.5         | Compound Angled Nails | High Clamps             | 3⅝ L x 4⅞ W x 2⅞ D  | 50        |
| 1052-C-SQ | 32.5         | Angled Screws         | High Clamps             | 3⅝ L x 4⅞ W x 2⅞ DD | 50        |
| 1052-PC   | 32.5         | Compound Angled Nails | Non-Metallic Clamps     | 3⅝ L x 4⅞ W x 2⅞ D  | 50        |
| 1052-UB   | 32.5         | Compound Angled Nails | #36 Clamps, Bulk Packed | 3⅝ L x 4⅞ W x 2⅞ D  | 50        |
| 1072      | 40.5         | Compound Angled Nails | #36 Clamps, Bulk Packed | 3⅝ L x 4⅞ W x 2⅞ D  | 50        |
| 1072-C    | 40.5         | Compound Angled Nails | High Clamps             | 3⅝ L x 4⅞ W x 2⅞ D  | 50        |
| 1072-C-SQ | 40.5         | Angled Screws         | High Clamps             | 3⅝ L x 4⅞ W x 2⅞ D  | 50        |
| 1072-PC   | 40.5         | Compound Angled Nails | Non-Metallic Clamps     | 3⅝ L x 4⅞ W x 2⅞ D  | 50        |

## Phenolic Boxes

### Two-Gang Brackets 24.0–34.0 Cu. In.



7072-2



7072-202



7072-N02



6062-402



6062-4-UB



7002-2



7002-202



2002-738



2002-738-C



2002-R-C



| CAT. NO.     | SIZE CU. IN. | MOUNTING MEANS                                                                                 | DESCRIPTION                                           | DIMENSIONS (IN.)                                                                                      | STD. CTN. |
|--------------|--------------|------------------------------------------------------------------------------------------------|-------------------------------------------------------|-------------------------------------------------------------------------------------------------------|-----------|
| 7072-2       | 24.0         | #2 Bottom Bracket and Wire Support                                                             | High Clamps                                           | 3 <sup>1</sup> / <sub>16</sub> L x 4 W x 2 <sup>3</sup> / <sub>4</sub> D                              | 50        |
| 7072-202     | 24.0         | #2 Bottom Bracket and Wire Support                                                             | #36 Clamps, Bulk Packed                               | 3 <sup>1</sup> / <sub>16</sub> L x 4 W x 2 <sup>3</sup> / <sub>4</sub> D                              | 50        |
| 7072-N02     | 24.0         | "N" Bracket                                                                                    | #36 Clamps                                            | 3 <sup>1</sup> / <sub>16</sub> L x 4 W x 2 <sup>3</sup> / <sub>4</sub> D                              | 50        |
| 6062-402     | 25.0         | Ears, #4 Swing Bracket                                                                         | #36 Clamps, Bulk Packed                               | 3 <sup>3</sup> / <sub>16</sub> L x 4 <sup>3</sup> / <sub>16</sub> W x 2 <sup>1</sup> / <sub>2</sub> D | 50        |
| 6062-4-UB    | 25.0         | Ears, #4 Swing Bracket                                                                         | High Clamps                                           | 3 <sup>3</sup> / <sub>16</sub> L x 4 <sup>3</sup> / <sub>16</sub> W x 2 <sup>1</sup> / <sub>2</sub> D | 50        |
| 6062-4-UB-SQ | 25.0         | Angled Screws                                                                                  | High Clamps                                           | 3 <sup>3</sup> / <sub>16</sub> L x 4 <sup>3</sup> / <sub>16</sub> W x 2 <sup>1</sup> / <sub>2</sub> D | 50        |
| 7002-2       | 32.5         | #2 Bottom Bracket and Wire Support                                                             | High Clamps                                           | 3 <sup>1</sup> / <sub>4</sub> L x 4 W x 3 <sup>3</sup> / <sub>8</sub> D                               | 50        |
| 7002-202     | 32.5         | #2 Bottom Bracket and Wire Support                                                             | #36 Clamps, Bulk Packed                               | 3 <sup>1</sup> / <sub>4</sub> L x 4 W x 3 <sup>3</sup> / <sub>8</sub> D                               | 50        |
| 2002-738     | 34.0         | 3 <sup>1</sup> / <sub>8</sub> " Offset Brackets for Wood/Steel Studs & #36 Clamps, Bulk Packet | 3 <sup>1</sup> / <sub>8</sub> " Offset Wallboard Tabs | 3 <sup>1</sup> / <sub>16</sub> L x 4 <sup>3</sup> / <sub>16</sub> W x 3 <sup>1</sup> / <sub>4</sub> D | 50        |
| 2002-738-C   | 34.0         | 3 <sup>1</sup> / <sub>8</sub> " Offset Brackets for Wood/Steel Studs Tabs & High Clamps        | 3 <sup>1</sup> / <sub>8</sub> " Offset Wallboard      | 3 <sup>1</sup> / <sub>16</sub> L x 4 <sup>3</sup> / <sub>16</sub> W x 3 <sup>1</sup> / <sub>4</sub> D | 50        |
| 2002-R-C     | 34.0         | "R" Bracket                                                                                    | High Clamps                                           | 3 <sup>3</sup> / <sub>16</sub> L x 4 <sup>3</sup> / <sub>32</sub> W x 3 <sup>1</sup> / <sub>4</sub> D | 50        |

## Phenolic Boxes

### Three-Gang Nail-On 42.9–58.5 Cu. In.



| CAT. NO.  | SIZE CU. IN. | MOUNTING MEANS         | DESCRIPTION             | DIMENSIONS (IN.)                                          | STD. CTN. |
|-----------|--------------|------------------------|-------------------------|-----------------------------------------------------------|-----------|
| 1043      | 42.9         | Compound Angled Nails  | #36 Clamps, Bulk Packed | 3 $\frac{3}{8}$ L x 5 $\frac{1}{8}$ W x 2 $\frac{3}{4}$ D | 20        |
| 1043-C    | 42.9         | Compound Angled Nails  | High Clamps             | 3 $\frac{3}{8}$ L x 5 $\frac{1}{8}$ W x 2 $\frac{3}{4}$ D | 20        |
| 1043-C-SQ | 42.9         | Angled Screws          | High Clamps             | 3 $\frac{3}{8}$ L x 5 $\frac{1}{8}$ W x 2 $\frac{3}{4}$ D | 20        |
| 1063      | 58.5         | Compound Angled Nails  | #36 Clamps, Bulk Packed | 3 $\frac{7}{8}$ L x 5 $\frac{1}{8}$ W x 3 $\frac{1}{2}$ D | 20        |
| 1063-C    | 58.5         | Compound Angled Nails  | High Clamps             | 3 $\frac{7}{8}$ L x 5 $\frac{1}{8}$ W x 3 $\frac{1}{2}$ D | 20        |
| 1063-C-SQ | 58.5         | Compound Angled Screws | High Clamps             | 3 $\frac{7}{8}$ L x 5 $\frac{1}{8}$ W x 3 $\frac{1}{2}$ D | 20        |

### Three-Gang Brackets 35.5–37.0 Cu. In.



| CAT. NO.    | SIZE CU. IN. | MOUNTING MEANS                                           | DESCRIPTION             | DIMENSIONS (IN.)                                          | STD. CTN. |
|-------------|--------------|----------------------------------------------------------|-------------------------|-----------------------------------------------------------|-----------|
| 7073-2      | 35.5         | #2 Bottom Bracket and Wire Support                       | High Clamps             | 3 $\frac{3}{8}$ L x 5 $\frac{1}{8}$ W x 2 $\frac{3}{4}$ D | 100       |
| 7073-202    | 35.5         | #2 Bottom Bracket and Wire Support                       | #36 Clamps, Bulk Packed | 3 $\frac{3}{8}$ L x 5 $\frac{1}{8}$ W x 2 $\frac{3}{4}$ D | 100       |
| 7073-238-02 | 35.5         | Two $\frac{3}{8}$ " Offset Brackets for Wood/Steel Studs | #36 Clamps, Bulk Packed | 3 $\frac{3}{8}$ L x 5 $\frac{1}{8}$ W x 2 $\frac{3}{4}$ D | 100       |
| 6063-4      | 37.0         | Ears, #4 Swing Bracket                                   | High Clamps             | 3 $\frac{3}{8}$ L x 5 $\frac{1}{8}$ W x 2 $\frac{1}{2}$ D | 100       |
| 6063-402    | 37.0         | Ears, #4 Swing Bracket                                   | #36 Clamps, Bulk Packed | 3 $\frac{3}{8}$ L x 5 $\frac{1}{8}$ W x 2 $\frac{1}{2}$ D | 50        |

## Phenolic Boxes

### Four-Gang Brackets 48.0–60.0 Cu. In.



7074-02-BH



7074-BH



2004-02-BH



2004-BH



2004-238



2004-238-02



| CAT. NO.    | SIZE CU. IN. | MOUNTING MEANS                                | DESCRIPTION             | DIMENSIONS (IN.)                                                                                        | STD. CTN. |
|-------------|--------------|-----------------------------------------------|-------------------------|---------------------------------------------------------------------------------------------------------|-----------|
| 7074-02 BH  | 48.0         | Side Bracket & Stabilizing Bar                | #36 Clamps, Bulk Packed | 3 <sup>5</sup> / <sub>16</sub> L x 7 <sup>5</sup> / <sub>16</sub> W x 2 <sup>5</sup> / <sub>16</sub> D  | 10        |
| 7074 BH     | 48.0         | Side Bracket & Stabilizing Bar                | High Clamps             | 3 <sup>5</sup> / <sub>16</sub> L x 7 <sup>5</sup> / <sub>16</sub> W x 2 <sup>5</sup> / <sub>16</sub> D  | 10        |
| 2004-02-BH  | 60.0         | Side Bracket & Stabilizing Bar                | #36 Clamps, Bulk Packed | 3 <sup>5</sup> / <sub>16</sub> L x 7 <sup>23</sup> / <sub>32</sub> W x 3 <sup>1</sup> / <sub>16</sub> D | 10        |
| 2004-BH     | 60.0         | Side Bracket & Stabilizing Bar                | High Clamps             | 3 <sup>5</sup> / <sub>16</sub> L x 7 <sup>23</sup> / <sub>32</sub> W x 3 <sup>1</sup> / <sub>16</sub> D | 10        |
| 2004-238    | 60.0         | Two 3/8" Offset Brackets for Wood/Steel Studs | High Clamps             | 3 <sup>5</sup> / <sub>16</sub> L x 7 <sup>23</sup> / <sub>32</sub> W x 3 <sup>1</sup> / <sub>16</sub> D | 20        |
| 2004-238-02 | 60.0         | Two 3/8" Offset Brackets for Wood/Steel Studs | #36 Clamps, Bulk Packed | 3 <sup>5</sup> / <sub>16</sub> L x 7 <sup>23</sup> / <sub>32</sub> W x 3 <sup>1</sup> / <sub>16</sub> D | 20        |




## Phenolic Boxes

### 4" Square Boxes Nail-On Brackets 16.0–30.0 Cu. In.

Boxes & Covers — Carlon® Non-Metallic Boxes



4020-1



4020-1-02



4000-02



4000-1-UB



4000-N



4000-N02



| CAT. NO.  | SIZE CU. IN. | MOUNTING MEANS                              | DESCRIPTION             | DIMENSIONS (IN.)   | STD. CTN. |
|-----------|--------------|---------------------------------------------|-------------------------|--------------------|-----------|
| 4020-1    | 16.0         | ½" Raised Face Bracket for Wood/Steel Studs | High Clamps             | 4⅞ L x 4⅞ W x 1¼ D | 50        |
| 4020-1-02 | 16.0         | ½" Raised Face Bracket for Wood/Steel Studs | #36 Clamps, Bulk Packed | 4⅞ L x 4⅞ W x 1¼ D | 50        |
| 4000-02   | 30.0         | Nails or Screws, Bulk Packed                | #36 Clamps, Bulk Packed | 4¼ L x 4¼ W x 2⅝ D | 50        |
| 4000-1-UB | 30.0         | ½" Raised Face Bracket for Wood/Steel Studs | High Clamps             | 4¼ L x 4¼ W x 2⅝ D | 50        |
| 4000-N    | 30.0         | "N" Bracket                                 | High Clamps             | 4¼ L x 4¼ W x 2⅝ D | 50        |
| 4000-N02  | 30.0         | "N" Bracket with Nails                      | #36 Clamps, Bulk Packed | 4¼ L x 4¼ W x 2⅝ D | 50        |

### Plaster Rings and Covers for 4" Square Boxes



4041



4042-12



4043



4022-12



| CAT. NO. | SIZE CU. IN. | DESCRIPTION                                      | DIMENSIONS (IN.)  | STD. CTN. |
|----------|--------------|--------------------------------------------------|-------------------|-----------|
| 4041     | —            | 4" Square Flat Back                              | 4¼ L x 4¼ W x ¼ D | 100       |
| 4042-12  | 4.0          | 4" Square Single-Gang Plaster Ring, ½" Offset    | 4¼ L x 4¼ W x ¼ D | 100       |
| 4043     | 4.5          | 4" Square Plaster Ring for ¾" Fixture, ½" Offset | 4⅜ L x 4⅜ W x ¼ D | 100       |
| 4022-12  | 7.0          | 4" Square Two-Gang Plaster Ring, ½" Offset       | 4⅜ L x 4⅜ W x ¼ D | 50        |

## Phenolic Boxes

### One-Gang Brackets




16.0–18.0 Cu. In.



| CAT. NO.   | SIZE CU. IN. | MOUNTING MEANS          | DESCRIPTION             | DIMENSIONS (IN.)                                                                          | STD. CTN. |
|------------|--------------|-------------------------|-------------------------|-------------------------------------------------------------------------------------------|-----------|
| 6000-402 • | 16.0         | Ears, #8 Swing Brackets | No Clamp Blocks         | 2 $\frac{3}{8}$ L x 2 $\frac{3}{8}$ W x 2 $\frac{3}{16}$ D                                | 50        |
| 6010-402   | 16.0         | Ears, #4 Swing Brackets | Bulk PK Clamps          | 3 $\frac{3}{8}$ L x 2 $\frac{1}{2}$ opening; 4 $\frac{1}{16}$ overall x 2 $\frac{1}{2}$ D | 100       |
| 6010-4-PC  | 16.0         | Ears, #4 Swing Brackets | Non-Metallic Clamps     | 3 $\frac{3}{8}$ L x 2 $\frac{3}{8}$ W x 2 $\frac{1}{2}$ D                                 | 100       |
| 6010-4-UB  | 16.0         | Ears, #4 Swing Brackets | High Clamps             | 3 $\frac{3}{8}$ L x 2 $\frac{3}{8}$ W x 2 $\frac{1}{2}$ D                                 | 100       |
| 6060-02    | 16.0         | Ears                    | —                       | 3 $\frac{1}{4}$ L x 2 $\frac{3}{16}$ W x 2 $\frac{1}{16}$ D                               | 100       |
| 6060-402   | 16.0         | Ears, #4 Swing Brackets | No Clamp Blocks         | 3 $\frac{3}{8}$ L x 2 $\frac{3}{8}$ W x 2 $\frac{1}{16}$ D                                | 100       |
| 6070-402   | 18.0         | Ears, #4 Swing Brackets | #36 Clamps, Bulk Packed | 3 $\frac{3}{8}$ L x 2 $\frac{3}{8}$ W x 3 $\frac{1}{4}$ D                                 | 50        |
| 6070-4-UB  | 18.0         | Ears, #4 Swing Brackets | High Clamps             | 3 $\frac{3}{8}$ L x 2 $\frac{3}{8}$ W x 3 $\frac{1}{4}$ D                                 | 50        |

• Not UL Listed, UL Recognized component.



7.5–14.0 Cu. In.



| CAT. NO.  | SIZE CU. IN. | MOUNTING MEANS           | DESCRIPTION     | DIMENSIONS (IN.)                                            | STD. CTN. |
|-----------|--------------|--------------------------|-----------------|-------------------------------------------------------------|-----------|
| 7090      | 7.5          | Ears                     | —               | 3 $\frac{1}{4}$ L x 2 $\frac{1}{4}$ W x 1 $\frac{1}{16}$ D  | 100       |
| 6020-402  | 8.0          | Ears, #4 Swing Brackets  | Ears            | 3 $\frac{7}{16}$ L x 2 $\frac{1}{4}$ W x 1 $\frac{1}{4}$ D  | 100       |
| 7060      | 9.0          | Ears                     | Ears            | 3 $\frac{7}{16}$ L x 2 $\frac{1}{4}$ W x 1 $\frac{1}{4}$ D  | 100       |
| 7020-8    | 10.0         | Ears, #8 Swing Brackets  | High Clamps     | 3 $\frac{1}{4}$ L x 2 $\frac{3}{8}$ W x 2 $\frac{1}{4}$ D   | 50        |
| 6050-4-UB | 10.5         | Ears, #4 Swing Brackets  | High Clamps     | 3 $\frac{1}{2}$ L x 2 $\frac{1}{4}$ W x 2 $\frac{1}{2}$ D   | 100       |
| 7010      | 12.5         | Ears Clamps              | High            | 3 $\frac{1}{4}$ L x 2 $\frac{3}{16}$ W x 2 $\frac{1}{16}$ D | 100       |
| 7010-8    | 12.5         | Ears, #8 Snap-In Bracket | High Clamps     | 3 $\frac{1}{4}$ L x 2 $\frac{3}{16}$ W x 2 $\frac{1}{16}$ D | 50        |
| 6090-402  | 14.0         | Ears, #4 Swing Brackets  | No Clamp Blocks | 3 $\frac{3}{8}$ L x 2 $\frac{3}{8}$ W x 2 $\frac{1}{2}$ D   | 100       |

## Phenolic Boxes

### Nail-On



#### 3½" Nail-On 13.5–22.8 Cu. In.



| CAT. NO.    | SIZE CU. IN. | MOUNTING MEANS                   | DESCRIPTION                            | DIMENSIONS (IN.) | STD. CTN. |
|-------------|--------------|----------------------------------|----------------------------------------|------------------|-----------|
| 3060 †      | 3.5          | Nails or Screw Mount, 3/16" O.D. | See NEC-725-2, 725-51, 725-52, Class 2 | 3½ Dia. x 5/8 D  | 100       |
| 3090-N •    | 13.5         | "N" Bracket                      | High Clamps                            | 3½ Dia. x 2½ D   | 50        |
| 3090-N-40 • | 13.5         | "N" Bracket                      | High Clamps & #40 Ground Strap         | 3½ Dia. x 2½ D   | 50        |
| 3090-N-S •  | 13.5         | "N" Bracket with Screws          | High Clamps & #36 Clamps, Bulk Packed  | 3½ Dia. x 2½ D   | 50        |
| 3190 •      | 22.8         | Compound Angled Nails            | #36 Clamps, Bulk Packed                | 3½ Dia. x 3¼ D   | 50        |
| 3190-C •    | 22.8         | Compound Angled Nails            | High Clamps                            | 3½ Dia. x 3¼ D   | 50        |
| 3190-PC •   | 22.8         | Compound Angled Nails            | Non-Metallic Clamps                    | 3½ Dia. x 3¼ D   | 50        |

• Listed for fixture support up to 50 lbs.

† Not UL Listed.

### Flanged



#### 3½" Flanged for Manufactured Housing 11.5–20.5 Cu. In.




| CAT. NO.     | SIZE CU. IN. | MOUNTING MEANS                                                 | DESCRIPTION                                | DIMENSIONS (IN.) | STD. CTN. |
|--------------|--------------|----------------------------------------------------------------|--------------------------------------------|------------------|-----------|
| 3030-02-40 • | 11.5         |                                                                | #36 Clamps, Bulk Packed & #40 Ground Strap | 3½ Dia. x 1¾ D   | 100       |
| 3030 •       | 14.0         | Screw Mount<br>(4¾" O.D. Flange or Flash Ring)<br>Box O.D. 3½" | High Clamps                                | 3½ Dia. x 1¾ D   | 100       |
| 3030-02 •    | 14.0         |                                                                | #36 Clamps, Bulk Packed                    | 3½ Dia. x 1¾ D   | 100       |
| 3030PC •     | 14.0         |                                                                | Non-Metallic Clamps                        | 3½ Dia. x 1¾ D   | 100       |
| 3000 •       | 20.5         |                                                                | High Clamps                                | 3½ Dia. x 2½ D   | 50        |
| 3000-02 •    | 20.5         |                                                                | #36 Clamps, Bulk Packed                    | 3½ Dia. x 2½ D   | 50        |
| 3000-PC •    | 20.5         |                                                                | Non-Metallic Clamps                        | 3½ Dia. x 2½ D   | 50        |

• Listed for fixture support up to 50 lbs.



## Phenolic Boxes

### 4" Nail-On Brackets



13.5–21.5 Cu. In



| CAT. NO.    | SIZE CU. IN. | MOUNTING MEANS                      | DESCRIPTION             | DIMENSIONS (IN.) | STD. CTN. |
|-------------|--------------|-------------------------------------|-------------------------|------------------|-----------|
| 4060-02 •   | 13.5         | Nail or Screws                      | #36 Clamps, Bulk Packed | 4 Dia. x 1 1/4 D | 100       |
| 4060-N02 •  | 13.5         | "N" Bracket, Bulk Packed with Nails | #36 Clamps              | 4 Dia. x 1 1/4 D | 50        |
| 4160-UB •   | 16.0         | Compound Angled Side Nails          | #36 Clamps, Bulk Packed | 4 Dia. x 1 1/4 D | 50        |
| 4070-302 •  | 20.8         | #3 Bracket                          | #36 Clamps, Bulk Packed | 4 Dia. x 2 3/8 D | 50        |
| 4070-N •    | 20.8         | "N" Bracket with Nails              | High Clamps             | 4 Dia. x 2 3/8 D | 50        |
| 4070-N02 •  | 20.8         | "N" Bracket with Nails              | #36 Clamps, Bulk Packed | 4 Dia. x 2 3/8 D | 50        |
| 4070-N-SQ • | 20.8         | "N" Bracket with screws             | High Clamps             | 4 Dia. x 2 3/8 D | 50        |
| 4170 •      | 21.5         | Compound Angled Side Nails          | #36 Clamps, Bulk Packed | 4 Dia. x 2 3/8 D | 50        |
| 4170-C •    | 21.5         | Compound Angled Side Nails          | High Clamps             | 4 Dia. x 2 3/8 D | 50        |

• Listed for fixture support up to 50 lbs.


### 4" Round Outlet Box

21.5 Cu. In.



| CAT. NO.     | SIZE CU. IN. | MOUNTING MEANS    | DIMENSIONS (IN.) | STD. CTN. |
|--------------|--------------|-------------------|------------------|-----------|
| 4170-CFB •   | 21.5         | —                 | 4 1/8 Dia.       | 10        |
| 4170-CFB-S • | 21.5         | Steel Stud Screws | 4 1/8 Dia.       | 10        |
| 4170-3-CFB • | 21.5         | 3" Bracket        | 4 1/8 Dia.       | 10        |

• UL Listed for support of light fixtures of up to 50 lbs. or ceiling fans up to 35 lbs.



## Phenolic Boxes

### 3½" Ceiling Box with Bar Hanger




13.5–22.8 Cu. In.

| CAT. NO.     | SIZE CU. IN. | MOUNTING MEANS                     | DESCRIPTION                    | DIMENSIONS (IN.) | STD. CTN. |
|--------------|--------------|------------------------------------|--------------------------------|------------------|-----------|
| 3090-94 •    | 13.5         | 16" Bar Hanger, 12¼" Min.–19" Max. | High Clamps                    | 3½ Dia. x 2½ D   | 50        |
| 3090-94-40 • | 13.5         | 16" Bar Hanger, 12¼" Min.–19" Max. | High Clamps & #40 Ground Strap | 3½ Dia. x 2½ D   | 50        |
| 3090-95 •    | 13.5         | 24" Bar Hanger, 16½" Min.–27" Max. | High Clamps                    | 3½ Dia. x 2½ D   | 50        |
| 3090-95-40 • | 3.5          | 24" Bar Hanger, 16½" Min.–27" Max. | High Clamps & #40 Ground Strap | 3½ Dia. x 2½ D   | 50        |
| 3190-C-94 •  | 22.8         | 16" Bar Hanger                     | High Clamps                    | 3½ Dia. x 2½ D   | 25        |
| 3190-C-95 •  | 22.8         | 24" Bar Hanger                     | High Clamps                    | 3½ Dia. x 2½ D   | 25        |

• Listed for fixture support up to 50 lbs.

### 4" Outlet Boxes with Bar Hanger



13.5–20.8 Cu. In.

| CAT. NO.       | SIZE CU. IN. | MOUNTING MEANS                            | DESCRIPTION             | DIMENSIONS (IN.) | STD. CTN. |
|----------------|--------------|-------------------------------------------|-------------------------|------------------|-----------|
| 4060-9402 •    | 13.5         | 16" Bar Hanger                            | #36 Clamps, Bulk Packed | 4 Dia. x 1½ D    | 50        |
| 4060-9502 •    | 13.5         | 24" Bar Hanger                            | #36 Clamps, Bulk Packed | 4 Dia. x 1½ D    | 50        |
| 4070-94 •      | 20.8         | 16" Bar Hanger, 12¼" Min.–19" Max.        | High Clamps             | 4 Dia. x 2½ D    | 50        |
| 4070-9402 •    | 20.8         | 16" Bar Hanger, 12¼" Min.–19" Max.        | #36 Clamps, Bulk Packed | 4 Dia. x 2½ D    | 50        |
| 4070-95 •      | 20.8         | 24" Bar Hanger, 16½" Min.–27" Max.        | High Clamps             | 4 Dia. x 2½ D    | 50        |
| 4070-9502 •    | 20.8         | 24" Bar Hanger, 16½" Min.–27" Max.        | #36 Strap, Bulk Packed  | 4 Dia. x 2½ D    | 50        |
| 4070-95-40 •   | 20.8         | 24" Bar Hanger, 16½" Min.–27" Max.        | Ground Strap            | 4 Dia. x 2½ D    | 50        |
| 4070-95-PC •   | 20.8         | 24" Bar Hanger, 16½" Min.–27" Max.        | Non-Metallic Clamps     | 4 Dia. x 2½ D    | 50        |
| 4070-CFB-BHL † | 20.8         | 24" Bar Hanger, 12" to 24" Maximum Center | —                       | 4¼ Dia. x 2½ D   | 10        |

• Listed for fixture support up to 50 lbs.

† UL Listed for support of light fixtures of up to 50 lbs. or ceiling fans up to 35 lbs.

## Phenolic Boxes

### Plaster Rings and Covers for 4" Outlet Boxes



| CAT. NO.   | SIZE CU. IN. | DESCRIPTION                                                               | DIMENSIONS (IN.) | STD. CTN. |
|------------|--------------|---------------------------------------------------------------------------|------------------|-----------|
| 3051       | —            | Round Flat Blank, Fits #3000, #3020 & #3030 Boxes Only                    | 3 1/4 Dia.       | 100       |
| 4051       | —            | Round Blank or Pendant, <sup>25</sup> / <sub>64</sub> " Diameter Knockout | 3 1/4-4 Dia.     | 100       |
| 4052 BROWN | —            | Round Flat Blank with 4" O.D.                                             | 3 1/4-4 Dia.     | 100       |
| 4052 IVORY | —            | Round Flat Blank with 4" O.D.                                             | 3 1/4-4 Dia.     | 100       |
| 4052 WHITE | —            | Round Flat Blank with 4" O.D.                                             | 3 1/4-4 Dia.     | 100       |
| 4061       | 4.5          | Round Plaster Ring, 1/2" Offset for 3/4 Mounting                          | 4 Dia.           | 100       |
| 4062 BROWN | —            | Round Flat Blank with 4 1/2" O.D.                                         | 4 Dia.           | 100       |
| 4062 IVORY | —            | Round Flat Blank with 4 1/2" O.D.                                         | 4 Dia.           | 100       |
| 4062 WHITE | —            | Round Flat Blank with 4 1/2" O.D.                                         | 4 Dia.           | 100       |

### Ceiling Boxes — Old Work



#### 3 1/2" Brackets 14.0-20.5 Cu. In.

| CAT. NO.    | SIZE CU. IN. | MOUNTING MEANS     | DESCRIPTION                    | DIMENSIONS (IN.)     | STD. CTN. |
|-------------|--------------|--------------------|--------------------------------|----------------------|-----------|
| 3080 †      | 14.0         | Ears               | High Clamps                    | 3 1/2 Dia. x 2 1/8 D | 50        |
| 3080-9 •    | 14.0         | #9 Snap-In Bracket | High Clamps                    | 3 1/2 Dia. x 2 1/8 D | 50        |
| 3080-902 •  | 14.0         | #9 Snap-In Bracket | #36 Clamps Bulk Packed         | 3 1/2 Dia. x 2 1/8 D | 50        |
| 3080-9-40 • | 14.0         | #9 Snap-In Bracket | High Clamps & #40 Ground Strap | 3 1/2 Dia. x 2 1/8 D | 50        |
| 3080-9-PC • | 14.0         | #9 Snap-In Bracket | Non-Metallic Clamps            | 3 1/2 Dia. x 2 1/8 D | 50        |
| 3080-9-SQ   | 14.0         | #9 Snap-In Bracket | High Clamps                    | 3 1/2 Dia. x 2 1/8 D | 50        |
| 3080-SQ     | 14.0         | Ears               | High Clamps                    | 3 1/2 Dia. x 2 1/8 D | 50        |
| 3000-9-PC   | 20.5         | #9 Snap-In Bracket | Non-Metallic Clamps            | 3 1/2 Dia. x 2 1/8 D | 50        |
| 3000-9-UB • | 20.5         | #9 Snap-In Bracket | High Clamps                    | 3 1/2 Dia. x 2 1/8 D | 50        |

• Listed for fixture support up to 15 lb. in walls only.

† Listed for fixture support up to 50 lbs.

## Phenolic Boxes

### One-Gang

9.8–14.0 Cu. In.



| CAT. NO.     | SIZE<br>CU. IN. | MOUNTING MEANS | DIMENSIONS (IN.)   | STD.<br>CTN. |
|--------------|-----------------|----------------|--------------------|--------------|
| 5060 BROWN • | 9.8             | Screws         | 4½ L x 2¾ W x 1½ D | 100          |
| 5060 IVORY   | 9.8             | Screws         | 4½ L x 2¾ W x 1½ D | 100          |
| 5060 WHITE   | 9.8             | Screws         | 4½ L x 2¾ W x 1½ D | 100          |
| 5070 BROWN • | 14.0            | Screws         | 4½ L x 2¾ W x 1½ D | 100          |
| 5070 IVORY   | 14.0            | Screws         | 4½ L x 2¾ W x 1½ D | 100          |
| 5070 WHITE   | 14.0            | Screws         | 4½ L x 2¾ W x 1½ D | 100          |

• **Note:** Only the "Brown" is Phenolic — the White and Ivory are a urea material.



5060 BROWN



5060 IVORY



5060 WHITE



5070 BROWN



5070 IVORY



5070 WHITE

### Two-Gang

23.8 Cu. In.



| CAT. NO.     | SIZE<br>CU. IN. | MOUNTING MEANS | DIMENSIONS (IN.)   | STD.<br>CTN. |
|--------------|-----------------|----------------|--------------------|--------------|
| 5072 BROWN • | 23.8            | Screws         | 4¾ L x 4½ W x 1¾ D | 50           |
| 5072 IVORY   | 23.8            | Screws         | 4¾ L x 4½ W x 1¾ D | 50           |
| 5072 WHITE   | 23.8            | Screws         | 4¾ L x 4½ W x 1¾ D | 50           |

• **Note:** Only the "Brown" is Phenolic — the White and Ivory are a urea material.



5072 BROWN



5072 IVORY



5072 WHITE

### 6½" Outside Diameter

3.8 Cu. In.



| CAT. NO.     | SIZE<br>CU. IN. | MOUNTING MEANS   | DIMENSIONS (IN.)  | STD.<br>CTN. |
|--------------|-----------------|------------------|-------------------|--------------|
| 5080 BROWN • | 3.8             | Screws, Box O.D. | 6¼ L x 3½ W x ¾ D | 50           |
| 5080 IVORY   | 3.8             | Screws, Box O.D. | 6¼ L x 3½ W x ¾ D | 50           |
| 5080 WHITE   | 3.8             | Screws, Box O.D. | 6¼ L x 3½ W x ¾ D | 50           |

• **Note:** Only the "Brown" is Phenolic — the White and Ivory are a urea material.



5080 BROWN



5080 IVORY



5080 WHITE

## Phenolic Boxes

### A0 Round Conduit Boxes and Covers



| CAT. NO. | SIZE<br>CU. IN. | MOUNTING MEANS         | DESCRIPTION              | DIMENSIONS<br>(IN.) | STD.<br>CTN. |
|----------|-----------------|------------------------|--------------------------|---------------------|--------------|
| A04-12 • | 12.0            | Four ½" Threaded KOs   | Round Box                | 4½ Dia. x 1½ D      | 10           |
| A04-34 • | 12.0            | Four ¾" Threaded KOs   | Round Box                | 4½ Dia. x 1½ D      | 10           |
| A0-51 •  | —               | Stainless Steel Screws | Black Cover with Gaskets | —                   | 10           |

• Not UL Listed.



A04-12



A04-34



A0-51

### Weatherproof Device Boxes and Covers



| CAT. NO. | SIZE<br>CU. IN. | MOUNTING MEANS                      | DESCRIPTION                         | DIMENSIONS<br>(IN.)    | STD.<br>CTN. |
|----------|-----------------|-------------------------------------|-------------------------------------|------------------------|--------------|
| FSC-12   | 16.0            | One ½" Threaded KO in Each End      | Device Box                          | 4¼ L x 1²⁵⁄₃₂ W x 2⅞ D | 10           |
| FSC-34   | 16.0            | One ¾" Threaded KO in Each End      | Device Box                          | 4¼ L x 1²⁵⁄₃₂ W x 2⅞ D | 10           |
| FSC-51 • | —               | Stainless Steel Screws              | Blank Cover with Gaskets            | —                      | 10           |
| FSC-53 • | —               | Stainless Steel Screws              | Duplex Receptacle Cover with Gasket | —                      | 10           |
| FSC-54 • | —               | Stainless Steel Screws, 1.409" Dia. | Single Receptacle Cover with Gasket | —                      | 10           |
| FSC-55 • | —               | Stainless Steel Screws              | Switch Cover with Gasket            | —                      | 10           |

• Not UL Listed.



FSC-12



FSC-34



FSC-51



FSC-53



FSC-54



FSC-55




## Phenolic Boxes

### Carlton® Brown Phenolic Boxes

New Fire Rating! Carlton® phenolic boxes can be installed in the same stud cavity of a shared two-hour wall. They may also face opposite directions with only a 3" horizontal separation — ideal for multi-family construction!

- All Phenolic boxes are listed to UL514C
- All Phenolic boxes are listed for masonry walls
- All Phenolic boxes are UL® Classified for 2-hr. fire wall and/or fire ceiling
- All Phenolic boxes meet NEMA OS-2
- All Phenolic boxes are permissible for use with 90° C conductors
- UL® File E11461 and R9140

#### One-Gang Nail-On 9.0–18.0 Cu. In.



| CAT. NO. | SIZE CU. IN. | MOUNTING MEANS        | DESCRIPTION | DIMENSIONS (IN.)                                                                                         | STD. CTN. |
|----------|--------------|-----------------------|-------------|----------------------------------------------------------------------------------------------------------|-----------|
| 2050-UB  | 9.0          | Bottom Nails          | —           | 3 <sup>9</sup> / <sub>16</sub> L x 2 <sup>1</sup> / <sub>4</sub> W x 1 <sup>13</sup> / <sub>16</sub> D   | 100       |
| 2070     | 14.0         | Bottom Nails          | —           | 3 <sup>9</sup> / <sub>16</sub> L x 2 <sup>1</sup> / <sub>4</sub> W x 2 <sup>5</sup> / <sub>8</sub> D     | 100       |
| 2030     | 16.0         | Bottom Nails          | —           | 3 <sup>9</sup> / <sub>16</sub> L x 2 <sup>15</sup> / <sub>32</sub> W x 2 <sup>13</sup> / <sub>16</sub> D | 100       |
| 1040     | 18.0         | Compound Angled Nails | —           | 3 <sup>9</sup> / <sub>16</sub> L x 2 <sup>1</sup> / <sub>2</sub> W x 3 <sup>1</sup> / <sub>8</sub> D     | 100       |
| 1240     | 18.0         | Recessed Angled Nails | —           | 3 <sup>11</sup> / <sub>16</sub> L x 2 <sup>1</sup> / <sub>4</sub> W x 3 <sup>1</sup> / <sub>8</sub> D    | 100       |
| 2000     | 18.0         | Bottom Nails          | "Classic"   | 3 <sup>11</sup> / <sub>16</sub> L x 2 <sup>1</sup> / <sub>4</sub> W x 3 <sup>1</sup> / <sub>8</sub> D    | 100       |

#### One-Gang Nail-On 20.3–22.5 Cu. In.



| CAT. NO.  | SIZE CU. IN. | MOUNTING MEANS        | DESCRIPTION | DIMENSIONS (IN.)                                                                                      | STD. CTN. |
|-----------|--------------|-----------------------|-------------|-------------------------------------------------------------------------------------------------------|-----------|
| 1250-UB   | 20.3         | Recessed Angled Nails | —           | 3 <sup>7</sup> / <sub>8</sub> L x 2 <sup>3</sup> / <sub>8</sub> W x 3 <sup>3</sup> / <sub>8</sub> D   | 100       |
| 1250-UB-S | 20.3         | Recessed Angled Nails | —           | 3 <sup>7</sup> / <sub>8</sub> L x 2 <sup>3</sup> / <sub>8</sub> W x 3 <sup>3</sup> / <sub>8</sub> D   | 100       |
| 1050-UB   | 21.0         | Compound Angled Nails | —           | 3 <sup>7</sup> / <sub>8</sub> L x 2 <sup>5</sup> / <sub>16</sub> W x 3 <sup>3</sup> / <sub>8</sub> D  | 50        |
| 1260      | 22.5         | Recessed Angled Nails | —           | 3 <sup>7</sup> / <sub>8</sub> L x 2 <sup>3</sup> / <sub>8</sub> W x 3 <sup>29</sup> / <sub>32</sub> D | 50        |
| 1260-S    | 22.5         | Recessed Angled Nails | —           | 3 <sup>7</sup> / <sub>8</sub> L x 2 <sup>3</sup> / <sub>8</sub> W x 3 <sup>29</sup> / <sub>32</sub> D | 50        |

## Phenolic Boxes

### One-Gang Brackets 16.0–20.3 Cu. In.



2030-502



2030-702



2000-738



1250-112



| CAT. NO. | SIZE CU. IN. | MOUNTING MEANS                         | DESCRIPTION | DIMENSIONS (IN.)   | STD. CTN. |
|----------|--------------|----------------------------------------|-------------|--------------------|-----------|
| 2030-502 | 16.0         | ½" Offset Bracket for Wood/Steel Studs | —           | 3⅝ L x 2¼ W x 2⅝ D | 100       |
| 2030-702 | 16.0         | ¼" Offset Bracket for Wood/Steel Studs | —           | 3⅝ L x 2¼ W x 2⅝ D | 100       |
| 2000-738 | 18.0         | ¾" Offset Bracket for Wood/Steel Studs | —           | 3⅝ L x 2¼ W x 2⅝ D | 100       |
| 1250-112 | 20.3         | ½" Offset Bracket for Wood/Steel Studs | —           | 3⅝ L x 2¼ W x 2⅝ D | 50        |

### Two-Gang Nail-On 27.5–40.5 Cu. In.



1032-C



1032-UB



1052-C



1052-C-SQ



1052-PC



1052-UB



1072



1072-C



| CAT. NO.  | SIZE CU. IN. | MOUNTING MEANS        | DESCRIPTION             | DIMENSIONS (IN.)    | STD. CTN. |
|-----------|--------------|-----------------------|-------------------------|---------------------|-----------|
| 1032-C    | 27.5         | Compound Angled Nails | High Clamps             | 3⅝ L x 4⅞ W x 2⅞ D  | 50        |
| 1032-UB   | 27.5         | Compound Angled Nails | #36 Clamps, Bulk Packed | 3⅝ L x 4⅞ W x 2⅞ D  | 50        |
| 1052-C    | 32.5         | Compound Angled Nails | High Clamps             | 3⅝ L x 4⅞ W x 2⅞ D  | 50        |
| 1052-C-SQ | 32.5         | Angled Screws         | High Clamps             | 3⅝ L x 4⅞ W x 2⅞ DD | 50        |
| 1052-PC   | 32.5         | Compound Angled Nails | Non-Metallic Clamps     | 3⅝ L x 4⅞ W x 2⅞ D  | 50        |
| 1052-UB   | 32.5         | Compound Angled Nails | #36 Clamps, Bulk Packed | 3⅝ L x 4⅞ W x 2⅞ D  | 50        |
| 1072      | 40.5         | Compound Angled Nails | #36 Clamps, Bulk Packed | 3⅝ L x 4⅞ W x 2⅞ D  | 50        |
| 1072-C    | 40.5         | Compound Angled Nails | High Clamps             | 3⅝ L x 4⅞ W x 2⅞ D  | 50        |
| 1072-C-SQ | 40.5         | Angled Screws         | High Clamps             | 3⅝ L x 4⅞ W x 2⅞ D  | 50        |
| 1072-PC   | 40.5         | Compound Angled Nails | Non-Metallic Clamps     | 3⅝ L x 4⅞ W x 2⅞ D  | 50        |

## Phenolic Boxes

### Two-Gang Brackets 24.0–34.0 Cu. In.



7072-2



7072-202



7072-N02



6062-402



6062-4-UB



7002-2



7002-202



2002-738



2002-738-C



2002-R-C



| CAT. NO.     | SIZE CU. IN. | MOUNTING MEANS                                                                                 | DESCRIPTION                                           | DIMENSIONS (IN.)                                                                                      | STD. CTN. |
|--------------|--------------|------------------------------------------------------------------------------------------------|-------------------------------------------------------|-------------------------------------------------------------------------------------------------------|-----------|
| 7072-2       | 24.0         | #2 Bottom Bracket and Wire Support                                                             | High Clamps                                           | 3 <sup>1</sup> / <sub>16</sub> L x 4 W x 2 <sup>1</sup> / <sub>4</sub> D                              | 50        |
| 7072-202     | 24.0         | #2 Bottom Bracket and Wire Support                                                             | #36 Clamps, Bulk Packed                               | 3 <sup>1</sup> / <sub>16</sub> L x 4 W x 2 <sup>1</sup> / <sub>4</sub> D                              | 50        |
| 7072-N02     | 24.0         | "N" Bracket                                                                                    | #36 Clamps                                            | 3 <sup>1</sup> / <sub>16</sub> L x 4 W x 2 <sup>1</sup> / <sub>4</sub> D                              | 50        |
| 6062-402     | 25.0         | Ears, #4 Swing Bracket                                                                         | #36 Clamps, Bulk Packed                               | 3 <sup>3</sup> / <sub>16</sub> L x 4 <sup>3</sup> / <sub>16</sub> W x 2 <sup>1</sup> / <sub>2</sub> D | 50        |
| 6062-4-UB    | 25.0         | Ears, #4 Swing Bracket                                                                         | High Clamps                                           | 3 <sup>3</sup> / <sub>16</sub> L x 4 <sup>3</sup> / <sub>16</sub> W x 2 <sup>1</sup> / <sub>2</sub> D | 50        |
| 6062-4-UB-SQ | 25.0         | Angled Screws                                                                                  | High Clamps                                           | 3 <sup>3</sup> / <sub>16</sub> L x 4 <sup>3</sup> / <sub>16</sub> W x 2 <sup>1</sup> / <sub>2</sub> D | 50        |
| 7002-2       | 32.5         | #2 Bottom Bracket and Wire Support                                                             | High Clamps                                           | 3 <sup>1</sup> / <sub>4</sub> L x 4 W x 3 <sup>3</sup> / <sub>8</sub> D                               | 50        |
| 7002-202     | 32.5         | #2 Bottom Bracket and Wire Support                                                             | #36 Clamps, Bulk Packed                               | 3 <sup>1</sup> / <sub>4</sub> L x 4 W x 3 <sup>3</sup> / <sub>8</sub> D                               | 50        |
| 2002-738     | 34.0         | 3 <sup>1</sup> / <sub>8</sub> " Offset Brackets for Wood/Steel Studs & #36 Clamps, Bulk Packet | 3 <sup>1</sup> / <sub>8</sub> " Offset Wallboard Tabs | 3 <sup>1</sup> / <sub>16</sub> L x 4 <sup>3</sup> / <sub>16</sub> W x 3 <sup>1</sup> / <sub>4</sub> D | 50        |
| 2002-738-C   | 34.0         | 3 <sup>1</sup> / <sub>8</sub> " Offset Brackets for Wood/Steel Studs Tabs & High Clamps        | 3 <sup>1</sup> / <sub>8</sub> " Offset Wallboard      | 3 <sup>1</sup> / <sub>16</sub> L x 4 <sup>3</sup> / <sub>16</sub> W x 3 <sup>1</sup> / <sub>4</sub> D | 50        |
| 2002-R-C     | 34.0         | "R" Bracket                                                                                    | High Clamps                                           | 3 <sup>3</sup> / <sub>16</sub> L x 4 <sup>3</sup> / <sub>32</sub> W x 3 <sup>1</sup> / <sub>4</sub> D | 50        |

## Phenolic Boxes

### Three-Gang Nail-On 42.9–58.5 Cu. In.



| CAT. NO.  | SIZE CU. IN. | MOUNTING MEANS         | DESCRIPTION             | DIMENSIONS (IN.)                                          | STD. CTN. |
|-----------|--------------|------------------------|-------------------------|-----------------------------------------------------------|-----------|
| 1043      | 42.9         | Compound Angled Nails  | #36 Clamps, Bulk Packed | 3 $\frac{3}{8}$ L x 5 $\frac{1}{8}$ W x 2 $\frac{3}{4}$ D | 20        |
| 1043-C    | 42.9         | Compound Angled Nails  | High Clamps             | 3 $\frac{3}{8}$ L x 5 $\frac{1}{8}$ W x 2 $\frac{3}{4}$ D | 20        |
| 1043-C-SQ | 42.9         | Angled Screws          | High Clamps             | 3 $\frac{3}{8}$ L x 5 $\frac{1}{8}$ W x 2 $\frac{3}{4}$ D | 20        |
| 1063      | 58.5         | Compound Angled Nails  | #36 Clamps, Bulk Packed | 3 $\frac{7}{8}$ L x 5 $\frac{1}{8}$ W x 3 $\frac{1}{2}$ D | 20        |
| 1063-C    | 58.5         | Compound Angled Nails  | High Clamps             | 3 $\frac{7}{8}$ L x 5 $\frac{1}{8}$ W x 3 $\frac{1}{2}$ D | 20        |
| 1063-C-SQ | 58.5         | Compound Angled Screws | High Clamps             | 3 $\frac{7}{8}$ L x 5 $\frac{1}{8}$ W x 3 $\frac{1}{2}$ D | 20        |

### Three-Gang Brackets 35.5–37.0 Cu. In.



| CAT. NO.    | SIZE CU. IN. | MOUNTING MEANS                                           | DESCRIPTION             | DIMENSIONS (IN.)                                          | STD. CTN. |
|-------------|--------------|----------------------------------------------------------|-------------------------|-----------------------------------------------------------|-----------|
| 7073-2      | 35.5         | #2 Bottom Bracket and Wire Support                       | High Clamps             | 3 $\frac{3}{8}$ L x 5 $\frac{1}{8}$ W x 2 $\frac{3}{4}$ D | 100       |
| 7073-202    | 35.5         | #2 Bottom Bracket and Wire Support                       | #36 Clamps, Bulk Packed | 3 $\frac{3}{8}$ L x 5 $\frac{1}{8}$ W x 2 $\frac{3}{4}$ D | 100       |
| 7073-238-02 | 35.5         | Two $\frac{3}{8}$ " Offset Brackets for Wood/Steel Studs | #36 Clamps, Bulk Packed | 3 $\frac{3}{8}$ L x 5 $\frac{1}{8}$ W x 2 $\frac{3}{4}$ D | 100       |
| 6063-4      | 37.0         | Ears, #4 Swing Bracket                                   | High Clamps             | 3 $\frac{3}{8}$ L x 5 $\frac{1}{8}$ W x 2 $\frac{1}{2}$ D | 100       |
| 6063-402    | 37.0         | Ears, #4 Swing Bracket                                   | #36 Clamps, Bulk Packed | 3 $\frac{3}{8}$ L x 5 $\frac{1}{8}$ W x 2 $\frac{1}{2}$ D | 50        |

## Phenolic Boxes

### Four-Gang Brackets 48.0–60.0 Cu. In.



7074-02-BH



7074-BH



2004-02-BH



2004-BH



2004-238



2004-238-02



| CAT. NO.    | SIZE CU. IN. | MOUNTING MEANS                                | DESCRIPTION             | DIMENSIONS (IN.)                                                                                        | STD. CTN. |
|-------------|--------------|-----------------------------------------------|-------------------------|---------------------------------------------------------------------------------------------------------|-----------|
| 7074-02 BH  | 48.0         | Side Bracket & Stabilizing Bar                | #36 Clamps, Bulk Packed | 3 <sup>5</sup> / <sub>16</sub> L x 7 <sup>5</sup> / <sub>16</sub> W x 2 <sup>5</sup> / <sub>16</sub> D  | 10        |
| 7074 BH     | 48.0         | Side Bracket & Stabilizing Bar                | High Clamps             | 3 <sup>5</sup> / <sub>16</sub> L x 7 <sup>5</sup> / <sub>16</sub> W x 2 <sup>5</sup> / <sub>16</sub> D  | 10        |
| 2004-02-BH  | 60.0         | Side Bracket & Stabilizing Bar                | #36 Clamps, Bulk Packed | 3 <sup>5</sup> / <sub>16</sub> L x 7 <sup>23</sup> / <sub>32</sub> W x 3 <sup>1</sup> / <sub>16</sub> D | 10        |
| 2004-BH     | 60.0         | Side Bracket & Stabilizing Bar                | High Clamps             | 3 <sup>5</sup> / <sub>16</sub> L x 7 <sup>23</sup> / <sub>32</sub> W x 3 <sup>1</sup> / <sub>16</sub> D | 10        |
| 2004-238    | 60.0         | Two 3/8" Offset Brackets for Wood/Steel Studs | High Clamps             | 3 <sup>5</sup> / <sub>16</sub> L x 7 <sup>23</sup> / <sub>32</sub> W x 3 <sup>1</sup> / <sub>16</sub> D | 20        |
| 2004-238-02 | 60.0         | Two 3/8" Offset Brackets for Wood/Steel Studs | #36 Clamps, Bulk Packed | 3 <sup>5</sup> / <sub>16</sub> L x 7 <sup>23</sup> / <sub>32</sub> W x 3 <sup>1</sup> / <sub>16</sub> D | 20        |




## Phenolic Boxes

### 4" Square Boxes Nail-On Brackets 16.0–30.0 Cu. In.

Boxes & Covers — Carlton® Non-Metallic Boxes



4020-1



4020-1-02



4000-02



4000-1-UB



4000-N



4000-N02



| CAT. NO.  | SIZE CU. IN. | MOUNTING MEANS                              | DESCRIPTION             | DIMENSIONS (IN.)   | STD. CTN. |
|-----------|--------------|---------------------------------------------|-------------------------|--------------------|-----------|
| 4020-1    | 16.0         | ½" Raised Face Bracket for Wood/Steel Studs | High Clamps             | 4⅞ L x 4⅞ W x 1¼ D | 50        |
| 4020-1-02 | 16.0         | ½" Raised Face Bracket for Wood/Steel Studs | #36 Clamps, Bulk Packed | 4⅞ L x 4⅞ W x 1¼ D | 50        |
| 4000-02   | 30.0         | Nails or Screws, Bulk Packed                | #36 Clamps, Bulk Packed | 4¼ L x 4¼ W x 2⅝ D | 50        |
| 4000-1-UB | 30.0         | ½" Raised Face Bracket for Wood/Steel Studs | High Clamps             | 4¼ L x 4¼ W x 2⅝ D | 50        |
| 4000-N    | 30.0         | "N" Bracket                                 | High Clamps             | 4¼ L x 4¼ W x 2⅝ D | 50        |
| 4000-N02  | 30.0         | "N" Bracket with Nails                      | #36 Clamps, Bulk Packed | 4¼ L x 4¼ W x 2⅝ D | 50        |

### Plaster Rings and Covers for 4" Square Boxes



4041



4042-12



4043



4022-12



| CAT. NO. | SIZE CU. IN. | DESCRIPTION                                      | DIMENSIONS (IN.)  | STD. CTN. |
|----------|--------------|--------------------------------------------------|-------------------|-----------|
| 4041     | —            | 4" Square Flat Back                              | 4¼ L x 4¼ W x ¼ D | 100       |
| 4042-12  | 4.0          | 4" Square Single-Gang Plaster Ring, ½" Offset    | 4¼ L x 4¼ W x ¼ D | 100       |
| 4043     | 4.5          | 4" Square Plaster Ring for ¾" Fixture, ½" Offset | 4⅜ L x 4⅜ W x ¼ D | 100       |
| 4022-12  | 7.0          | 4" Square Two-Gang Plaster Ring, ½" Offset       | 4⅜ L x 4⅜ W x ¼ D | 50        |

## Phenolic Boxes

### One-Gang Brackets




16.0–18.0 Cu. In.



| CAT. NO.   | SIZE CU. IN. | MOUNTING MEANS          | DESCRIPTION             | DIMENSIONS (IN.)                                                                          | STD. CTN. |
|------------|--------------|-------------------------|-------------------------|-------------------------------------------------------------------------------------------|-----------|
| 6000-402 • | 16.0         | Ears, #8 Swing Brackets | No Clamp Blocks         | 2 $\frac{3}{8}$ L x 2 $\frac{3}{8}$ W x 2 $\frac{3}{16}$ D                                | 50        |
| 6010-402   | 16.0         | Ears, #4 Swing Brackets | Bulk PK Clamps          | 3 $\frac{3}{8}$ L x 2 $\frac{1}{2}$ opening; 4 $\frac{1}{16}$ overall x 2 $\frac{1}{8}$ D | 100       |
| 6010-4-PC  | 16.0         | Ears, #4 Swing Brackets | Non-Metallic Clamps     | 3 $\frac{3}{8}$ L x 2 $\frac{3}{8}$ W x 2 $\frac{1}{8}$ D                                 | 100       |
| 6010-4-UB  | 16.0         | Ears, #4 Swing Brackets | High Clamps             | 3 $\frac{3}{8}$ L x 2 $\frac{3}{8}$ W x 2 $\frac{1}{8}$ D                                 | 100       |
| 6060-02    | 16.0         | Ears                    | —                       | 3 $\frac{1}{4}$ L x 2 $\frac{3}{16}$ W x 2 $\frac{1}{16}$ D                               | 100       |
| 6060-402   | 16.0         | Ears, #4 Swing Brackets | No Clamp Blocks         | 3 $\frac{3}{8}$ L x 2 $\frac{3}{8}$ W x 2 $\frac{1}{8}$ D                                 | 100       |
| 6070-402   | 18.0         | Ears, #4 Swing Brackets | #36 Clamps, Bulk Packed | 3 $\frac{3}{8}$ L x 2 $\frac{3}{8}$ W x 3 $\frac{1}{4}$ D                                 | 50        |
| 6070-4-UB  | 18.0         | Ears, #4 Swing Brackets | High Clamps             | 3 $\frac{3}{8}$ L x 2 $\frac{3}{8}$ W x 3 $\frac{1}{4}$ D                                 | 50        |

• Not UL Listed, UL Recognized component.



7.5–14.0 Cu. In.



| CAT. NO.  | SIZE CU. IN. | MOUNTING MEANS           | DESCRIPTION     | DIMENSIONS (IN.)                                            | STD. CTN. |
|-----------|--------------|--------------------------|-----------------|-------------------------------------------------------------|-----------|
| 7090      | 7.5          | Ears                     | —               | 3 $\frac{1}{4}$ L x 2 $\frac{1}{4}$ W x 1 $\frac{1}{16}$ D  | 100       |
| 6020-402  | 8.0          | Ears, #4 Swing Brackets  | Ears            | 3 $\frac{7}{16}$ L x 2 $\frac{1}{4}$ W x 1 $\frac{1}{4}$ D  | 100       |
| 7060      | 9.0          | Ears                     | Ears            | 3 $\frac{7}{16}$ L x 2 $\frac{1}{4}$ W x 1 $\frac{1}{4}$ D  | 100       |
| 7020-8    | 10.0         | Ears, #8 Swing Brackets  | High Clamps     | 3 $\frac{1}{4}$ L x 2 $\frac{3}{8}$ W x 2 $\frac{1}{4}$ D   | 50        |
| 6050-4-UB | 10.5         | Ears, #4 Swing Brackets  | High Clamps     | 3 $\frac{1}{2}$ L x 2 $\frac{1}{4}$ W x 2 $\frac{1}{8}$ D   | 100       |
| 7010      | 12.5         | Ears Clamps              | High            | 3 $\frac{1}{4}$ L x 2 $\frac{3}{16}$ W x 2 $\frac{1}{16}$ D | 100       |
| 7010-8    | 12.5         | Ears, #8 Snap-In Bracket | High Clamps     | 3 $\frac{1}{4}$ L x 2 $\frac{3}{16}$ W x 2 $\frac{1}{16}$ D | 50        |
| 6090-402  | 14.0         | Ears, #4 Swing Brackets  | No Clamp Blocks | 3 $\frac{3}{8}$ L x 2 $\frac{3}{8}$ W x 2 $\frac{1}{2}$ D   | 100       |

## Phenolic Boxes

### Nail-On



3060

3090-N

3090-N-40

3090-N-S

3190

3190-C

3190-PC

### 3½" Nail-On 13.5–22.8 Cu. In.



| CAT. NO.    | SIZE CU. IN. | MOUNTING MEANS                   | DESCRIPTION                            | DIMENSIONS (IN.) | STD. CTN. |
|-------------|--------------|----------------------------------|----------------------------------------|------------------|-----------|
| 3060 †      | 3.5          | Nails or Screw Mount, 3/16" O.D. | See NEC-725-2, 725-51, 725-52, Class 2 | 3½ Dia. x 5/8 D  | 100       |
| 3090-N •    | 13.5         | "N" Bracket                      | High Clamps                            | 3½ Dia. x 2½ D   | 50        |
| 3090-N-40 • | 13.5         | "N" Bracket                      | High Clamps & #40 Ground Strap         | 3½ Dia. x 2½ D   | 50        |
| 3090-N-S •  | 13.5         | "N" Bracket with Screws          | High Clamps & #36 Clamps, Bulk Packed  | 3½ Dia. x 2½ D   | 50        |
| 3190 •      | 22.8         | Compound Angled Nails            | #36 Clamps, Bulk Packed                | 3½ Dia. x 3¼ D   | 50        |
| 3190-C •    | 22.8         | Compound Angled Nails            | High Clamps                            | 3½ Dia. x 3¼ D   | 50        |
| 3190-PC •   | 22.8         | Compound Angled Nails            | Non-Metallic Clamps                    | 3½ Dia. x 3¼ D   | 50        |

• Listed for fixture support up to 50 lbs.

† Not UL Listed.

### Flanged



3030-02-40

3030

3030-02

3030PC

3000

3000-02

3000-PC

### 3½" Flanged for Manufactured Housing 11.5–20.5 Cu. In.




| CAT. NO.     | SIZE CU. IN. | MOUNTING MEANS                                                 | DESCRIPTION                                | DIMENSIONS (IN.) | STD. CTN. |
|--------------|--------------|----------------------------------------------------------------|--------------------------------------------|------------------|-----------|
| 3030-02-40 • | 11.5         |                                                                | #36 Clamps, Bulk Packed & #40 Ground Strap | 3½ Dia. x 1¾ D   | 100       |
| 3030 •       | 14.0         | Screw Mount<br>(4¾" O.D. Flange or Flash Ring)<br>Box O.D. 3½" | High Clamps                                | 3½ Dia. x 1¾ D   | 100       |
| 3030-02 •    | 14.0         |                                                                | #36 Clamps, Bulk Packed                    | 3½ Dia. x 1¾ D   | 100       |
| 3030PC •     | 14.0         |                                                                | Non-Metallic Clamps                        | 3½ Dia. x 1¾ D   | 100       |
| 3000 •       | 20.5         |                                                                | High Clamps                                | 3½ Dia. x 2½ D   | 50        |
| 3000-02 •    | 20.5         |                                                                | #36 Clamps, Bulk Packed                    | 3½ Dia. x 2½ D   | 50        |
| 3000-PC •    | 20.5         |                                                                | Non-Metallic Clamps                        | 3½ Dia. x 2½ D   | 50        |

• Listed for fixture support up to 50 lbs.

## Phenolic Boxes

### 4" Nail-On Brackets



13.5–21.5 Cu. In



| CAT. NO.    | SIZE CU. IN. | MOUNTING MEANS                      | DESCRIPTION             | DIMENSIONS (IN.) | STD. CTN. |
|-------------|--------------|-------------------------------------|-------------------------|------------------|-----------|
| 4060-02 •   | 13.5         | Nail or Screws                      | #36 Clamps, Bulk Packed | 4 Dia. x 1 1/4 D | 100       |
| 4060-N02 •  | 13.5         | "N" Bracket, Bulk Packed with Nails | #36 Clamps              | 4 Dia. x 1 1/4 D | 50        |
| 4160-UB •   | 16.0         | Compound Angled Side Nails          | #36 Clamps, Bulk Packed | 4 Dia. x 1 1/4 D | 50        |
| 4070-302 •  | 20.8         | #3 Bracket                          | #36 Clamps, Bulk Packed | 4 Dia. x 2 3/4 D | 50        |
| 4070-N •    | 20.8         | "N" Bracket with Nails              | High Clamps             | 4 Dia. x 2 3/4 D | 50        |
| 4070-N02 •  | 20.8         | "N" Bracket with Nails              | #36 Clamps, Bulk Packed | 4 Dia. x 2 3/4 D | 50        |
| 4070-N-SQ • | 20.8         | "N" Bracket with screws             | High Clamps             | 4 Dia. x 2 3/4 D | 50        |
| 4170 •      | 21.5         | Compound Angled Side Nails          | #36 Clamps, Bulk Packed | 4 Dia. x 2 3/4 D | 50        |
| 4170-C •    | 21.5         | Compound Angled Side Nails          | High Clamps             | 4 Dia. x 2 3/4 D | 50        |

• Listed for fixture support up to 50 lbs.


### 4" Round Outlet Box

21.5 Cu. In.



| CAT. NO.     | SIZE CU. IN. | MOUNTING MEANS    | DIMENSIONS (IN.) | STD. CTN. |
|--------------|--------------|-------------------|------------------|-----------|
| 4170-CFB •   | 21.5         | —                 | 4 1/4 Dia.       | 10        |
| 4170-CFB-S • | 21.5         | Steel Stud Screws | 4 1/4 Dia.       | 10        |
| 4170-3-CFB • | 21.5         | 3" Bracket        | 4 1/4 Dia.       | 10        |

• UL Listed for support of light fixtures of up to 50 lbs. or ceiling fans up to 35 lbs.



## Phenolic Boxes

### 3½" Ceiling Box with Bar Hanger




13.5–22.8 Cu. In.

| CAT. NO.     | SIZE CU. IN. | MOUNTING MEANS                     | DESCRIPTION                    | DIMENSIONS (IN.) | STD. CTN. |
|--------------|--------------|------------------------------------|--------------------------------|------------------|-----------|
| 3090-94 •    | 13.5         | 16" Bar Hanger, 12¼" Min.–19" Max. | High Clamps                    | 3½ Dia. x 2½ D   | 50        |
| 3090-94-40 • | 13.5         | 16" Bar Hanger, 12¼" Min.–19" Max. | High Clamps & #40 Ground Strap | 3½ Dia. x 2½ D   | 50        |
| 3090-95 •    | 13.5         | 24" Bar Hanger, 16½" Min.–27" Max. | High Clamps                    | 3½ Dia. x 2½ D   | 50        |
| 3090-95-40 • | 3.5          | 24" Bar Hanger, 16½" Min.–27" Max. | High Clamps & #40 Ground Strap | 3½ Dia. x 2½ D   | 50        |
| 3190-C-94 •  | 22.8         | 16" Bar Hanger                     | High Clamps                    | 3½ Dia. x 2½ D   | 25        |
| 3190-C-95 •  | 22.8         | 24" Bar Hanger                     | High Clamps                    | 3½ Dia. x 2½ D   | 25        |

• Listed for fixture support up to 50 lbs.

### 4" Outlet Boxes with Bar Hanger



13.5–20.8 Cu. In.

| CAT. NO.       | SIZE CU. IN. | MOUNTING MEANS                            | DESCRIPTION             | DIMENSIONS (IN.) | STD. CTN. |
|----------------|--------------|-------------------------------------------|-------------------------|------------------|-----------|
| 4060-9402 •    | 13.5         | 16" Bar Hanger                            | #36 Clamps, Bulk Packed | 4 Dia. x 1½ D    | 50        |
| 4060-9502 •    | 13.5         | 24" Bar Hanger                            | #36 Clamps, Bulk Packed | 4 Dia. x 1½ D    | 50        |
| 4070-94 •      | 20.8         | 16" Bar Hanger, 12¼" Min.–19" Max.        | High Clamps             | 4 Dia. x 2½ D    | 50        |
| 4070-9402 •    | 20.8         | 16" Bar Hanger, 12¼" Min.–19" Max.        | #36 Clamps, Bulk Packed | 4 Dia. x 2½ D    | 50        |
| 4070-95 •      | 20.8         | 24" Bar Hanger, 16½" Min.–27" Max.        | High Clamps             | 4 Dia. x 2½ D    | 50        |
| 4070-9502 •    | 20.8         | 24" Bar Hanger, 16½" Min.–27" Max.        | #36 Strap, Bulk Packed  | 4 Dia. x 2½ D    | 50        |
| 4070-95-40 •   | 20.8         | 24" Bar Hanger, 16½" Min.–27" Max.        | Ground Strap            | 4 Dia. x 2½ D    | 50        |
| 4070-95-PC •   | 20.8         | 24" Bar Hanger, 16½" Min.–27" Max.        | Non-Metallic Clamps     | 4 Dia. x 2½ D    | 50        |
| 4070-CFB-BHL † | 20.8         | 24" Bar Hanger, 12" to 24" Maximum Center | —                       | 4¼ Dia. x 2½ D   | 10        |

• Listed for fixture support up to 50 lbs.

† UL Listed for support of light fixtures of up to 50 lbs. or ceiling fans up to 35 lbs.



## Phenolic Boxes

### Plaster Rings and Covers for 4" Outlet Boxes



| CAT. NO.   | SIZE CU. IN. | DESCRIPTION                                                               | DIMENSIONS (IN.) | STD. CTN. |
|------------|--------------|---------------------------------------------------------------------------|------------------|-----------|
| 3051       | —            | Round Flat Blank, Fits #3000, #3020 & #3030 Boxes Only                    | 3 1/4 Dia.       | 100       |
| 4051       | —            | Round Blank or Pendant, <sup>25</sup> / <sub>64</sub> " Diameter Knockout | 3 1/4-4 Dia.     | 100       |
| 4052 BROWN | —            | Round Flat Blank with 4" O.D.                                             | 3 1/4-4 Dia.     | 100       |
| 4052 IVORY | —            | Round Flat Blank with 4" O.D.                                             | 3 1/4-4 Dia.     | 100       |
| 4052 WHITE | —            | Round Flat Blank with 4" O.D.                                             | 3 1/4-4 Dia.     | 100       |
| 4061       | 4.5          | Round Plaster Ring, 1/2" Offset for 3/4 Mounting                          | 4 Dia.           | 100       |
| 4062 BROWN | —            | Round Flat Blank with 4 1/2" O.D.                                         | 4 Dia.           | 100       |
| 4062 IVORY | —            | Round Flat Blank with 4 1/2" O.D.                                         | 4 Dia.           | 100       |
| 4062 WHITE | —            | Round Flat Blank with 4 1/2" O.D.                                         | 4 Dia.           | 100       |

### Ceiling Boxes — Old Work



#### 3 1/2" Brackets 14.0-20.5 Cu. In.

| CAT. NO.    | SIZE CU. IN. | MOUNTING MEANS     | DESCRIPTION                    | DIMENSIONS (IN.)     | STD. CTN. |
|-------------|--------------|--------------------|--------------------------------|----------------------|-----------|
| 3080 †      | 14.0         | Ears               | High Clamps                    | 3 1/2 Dia. x 2 1/8 D | 50        |
| 3080-9 •    | 14.0         | #9 Snap-In Bracket | High Clamps                    | 3 1/2 Dia. x 2 1/8 D | 50        |
| 3080-902 •  | 14.0         | #9 Snap-In Bracket | #36 Clamps Bulk Packed         | 3 1/2 Dia. x 2 1/8 D | 50        |
| 3080-9-40 • | 14.0         | #9 Snap-In Bracket | High Clamps & #40 Ground Strap | 3 1/2 Dia. x 2 1/8 D | 50        |
| 3080-9-PC • | 14.0         | #9 Snap-In Bracket | Non-Metallic Clamps            | 3 1/2 Dia. x 2 1/8 D | 50        |
| 3080-9-SQ   | 14.0         | #9 Snap-In Bracket | High Clamps                    | 3 1/2 Dia. x 2 1/8 D | 50        |
| 3080-SQ     | 14.0         | Ears               | High Clamps                    | 3 1/2 Dia. x 2 1/8 D | 50        |
| 3000-9-PC   | 20.5         | #9 Snap-In Bracket | Non-Metallic Clamps            | 3 1/2 Dia. x 2 1/8 D | 50        |
| 3000-9-UB • | 20.5         | #9 Snap-In Bracket | High Clamps                    | 3 1/2 Dia. x 2 1/8 D | 50        |

• Listed for fixture support up to 15 lb. in walls only.

† Listed for fixture support up to 50 lbs.

## Phenolic Boxes

### One-Gang

9.8–14.0 Cu. In.



| CAT. NO.     | SIZE<br>CU. IN. | MOUNTING MEANS | DIMENSIONS (IN.)   | STD.<br>CTN. |
|--------------|-----------------|----------------|--------------------|--------------|
| 5060 BROWN • | 9.8             | Screws         | 4½ L x 2¾ W x 1½ D | 100          |
| 5060 IVORY   | 9.8             | Screws         | 4½ L x 2¾ W x 1½ D | 100          |
| 5060 WHITE   | 9.8             | Screws         | 4½ L x 2¾ W x 1½ D | 100          |
| 5070 BROWN • | 14.0            | Screws         | 4½ L x 2¾ W x 1½ D | 100          |
| 5070 IVORY   | 14.0            | Screws         | 4½ L x 2¾ W x 1½ D | 100          |
| 5070 WHITE   | 14.0            | Screws         | 4½ L x 2¾ W x 1½ D | 100          |

• **Note:** Only the "Brown" is Phenolic — the White and Ivory are a urea material.



5060 BROWN



5060 IVORY



5060 WHITE



5070 BROWN



5070 IVORY



5070 WHITE

### Two-Gang

23.8 Cu. In.



| CAT. NO.     | SIZE<br>CU. IN. | MOUNTING MEANS | DIMENSIONS (IN.)   | STD.<br>CTN. |
|--------------|-----------------|----------------|--------------------|--------------|
| 5072 BROWN • | 23.8            | Screws         | 4¾ L x 4½ W x 1¾ D | 50           |
| 5072 IVORY   | 23.8            | Screws         | 4¾ L x 4½ W x 1¾ D | 50           |
| 5072 WHITE   | 23.8            | Screws         | 4¾ L x 4½ W x 1¾ D | 50           |

• **Note:** Only the "Brown" is Phenolic — the White and Ivory are a urea material.



5072 BROWN



5072 IVORY



5072 WHITE

### 6½" Outside Diameter

3.8 Cu. In.



| CAT. NO.     | SIZE<br>CU. IN. | MOUNTING MEANS   | DIMENSIONS (IN.)  | STD.<br>CTN. |
|--------------|-----------------|------------------|-------------------|--------------|
| 5080 BROWN • | 3.8             | Screws, Box O.D. | 6¼ L x 3½ W x ¾ D | 50           |
| 5080 IVORY   | 3.8             | Screws, Box O.D. | 6¼ L x 3½ W x ¾ D | 50           |
| 5080 WHITE   | 3.8             | Screws, Box O.D. | 6¼ L x 3½ W x ¾ D | 50           |

• **Note:** Only the "Brown" is Phenolic — the White and Ivory are a urea material.



5080 BROWN



5080 IVORY



5080 WHITE

Boxes & Covers — Carlton® Non-Metallic Boxes

## Phenolic Boxes

### A0 Round Conduit Boxes and Covers



| CAT. NO. | SIZE<br>CU. IN. | MOUNTING MEANS         | DESCRIPTION                 | DIMENSIONS<br>(IN.)  | STD.<br>CTN. |
|----------|-----------------|------------------------|-----------------------------|----------------------|--------------|
| A04-12 • | 12.0            | Four 1/2" Threaded KOs | Round Box                   | 4 1/8 Dia. x 1 1/8 D | 10           |
| A04-34 • | 12.0            | Four 3/4" Threaded KOs | Round Box                   | 4 1/8 Dia. x 1 1/8 D | 10           |
| A0-51 •  | —               | Stainless Steel Screws | Black Cover<br>with Gaskets | —                    | 10           |

• Not UL Listed.



A04-12



A04-34



A0-51

### Weatherproof Device Boxes and Covers



| CAT. NO. | SIZE<br>CU. IN. | MOUNTING MEANS                      | DESCRIPTION                         | DIMENSIONS<br>(IN.)             | STD.<br>CTN. |
|----------|-----------------|-------------------------------------|-------------------------------------|---------------------------------|--------------|
| FSC-12   | 16.0            | One 1/2" Threaded KO in Each End    | Device Box                          | 4 1/16 L x 1 25/32 W x 2 1/16 D | 10           |
| FSC-34   | 16.0            | One 3/4" Threaded KO in Each End    | Device Box                          | 4 1/16 L x 1 25/32 W x 2 1/16 D | 10           |
| FSC-51 • | —               | Stainless Steel Screws              | Blank Cover<br>with Gaskets         | —                               | 10           |
| FSC-53 • | —               | Stainless Steel Screws              | Duplex Receptacle Cover with Gasket | —                               | 10           |
| FSC-54 • | —               | Stainless Steel Screws, 1.409" Dia. | Single Receptacle Cover with Gasket | —                               | 10           |
| FSC-55 • | —               | Stainless Steel Screws              | Switch Cover with Gasket            | —                               | 10           |

• Not UL Listed.



FSC-12



FSC-34



FSC-51



FSC-53



FSC-54



FSC-55