

SNLED Series
Linear LED Striplight

Metalux



EATON

Powering Business Worldwide



Utilizing leading edge LED technology, the SNLED series provides a superior solution with both energy efficiency and maintenance reduction over traditional fluorescents. Offered in three unique versions - base, lensed and reflector, the SNLED provides application flexibility while further improving energy savings by offering controls compatibility for most any application.

SNLED product performance


- 8', 4' and 2' product configurations
- Three different models - base, lensed, and reflector
- Three different lens types for optical and refined lumen control
- Two different reflectors for precise distribution control
- Standard (SL) and High lumen/High Efficacy (HL) packages
- High efficiencies - up to 154 lm/W
- Four correlated color temperatures (3000K, 3500K, 4000K, and 5000K)
- Typical CRI over 80, with 90 CRI options
- Class 2 driver with standard 0-10V dimming is NEMA 410 compliant
- TM21 lumen maintenance up to L87 > 60,000 hours

Compliances

- LED modules comply with IESNA LM-79 and LM-80 standards
- cULus listed 1598 for damp locations up to 40°C ambient temperatures
- RoHS compliant
- DesignLight Consortium® Qualified for Standard and Premium

Wired and Wireless Connectivity - Control System options*

Eaton's SNLED combined with Eaton's Connected Lighting Systems improves energy savings and user comfort. Using traditional wired controls is straightforward and SNLED supports wire-through capabilities. Options include Eaton's wireless connected lighting options: Wavelinx or LumaWatt Pro. ***These options are fully integrated in the SRL (see page 2).**

- SNLED is Powered by Fifth Light with 0-10V analog dimming drivers (standard) for direct control using Eaton Greengate room controllers, sensors, and lighting control panels as well as Eaton Wiring Devices wall dimmers and sensors. 
- Go digital using DALI drivers that work with the capable and scalable Fifth Light whole-building systems. Using a topology-free wiring design, Fifth Light allows individual control and addressability of each fixture.
- WaveLinx Wireless Connected Lighting offers simple, secure connectivity for easy code compliance. With the Wavelinx Relay switchpack with 0-10V (WSP-MV-010) device, groups can be switched on/off and dimmed.
- LumaWatt Pro Wireless Connected Lighting powered by Enlighted features a multi-sensor system to collect and analyze the environment, providing detailed insight using powerful software into how a building operates. Using the Wireless Plugload/Relay (PC-20-01) control, groups can be switched on/off, and the power can be measured and reported. When dimming is required, an optional tile-mount kit can be installed.

Refer to the system application guides for additional information on how to integrate SNLED into these systems. For details on these and other solutions, please visit www.eaton.com/lightingsystems



LM79 / LM80 Compliant



Lasts 25 Years





Surface/suspended

SRL Connected Lighting Systems

SRL is designed to support integrated sensor systems, providing code compliance, installation and energy savings while unlocking the potential of connected lighting systems.

Integrated sensor systems reduce planning because the lighting design is the controls design. With sensors factory-installed in every fixture, the layout of the SRL matches the sensor coverage. SRL deploys Eaton's connected lighting integrated system options, allowing the right light for the right reasons in stand alone or continuous row applications.

Performance/ratings

- High efficacy up to 149 lumens per watt
- Dimmable as low as 1% with multiple control options
- 4' and 8' lengths
- Lumen output from 2500 – 10,500 in 3000K, 3500K, 4000K and 5000K

Lighting Product Lines

Halo
Halo Commercial
Portfolio
Iris
RSA
Metalux
Corelite
Neo-Ray
Fail-Safe
MWS
Ametrix
Shaper
io
Lumark
McGraw-Edison
Invue
Ephesus
Lumière
Streetworks
AtLite
Sure-Lites

Controls Product Lines

Greengate
iLumin
Zero 88
Fifth Light Technology
iLight (International Only)

Connected Lighting Systems

LumaWatt Pro
WaveLinx
Distributed Low-Voltage Power
ConnectWorks

Eaton

1121 Highway 74 South
Peachtree City, GA 30269
P: 770-486-4800
www.eaton.com/lighting

Canada Sales

5925 McLaughlin Road
Mississauga, Ontario L5R 1B8
P: 905-501-3000
F: 905-501-3172

© 2018 Eaton
All Rights Reserved
Printed in USA
Publication No. BR519029EN
July 9, 2018 3:27 PM

Eaton is a registered trademark.

All other trademarks are property
of their respective owners.

Product availability, specifications,
and compliances are subject to
change without notice.