



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



66044 3-In-1 Flip Impact Socket

Klein Tools

Catalog Number	66044
Manufacturer	Klein Tools
Description	Klein'S 3-In-1 Flip Impact Socket Features An Alignment Slot to Tighten and Loosen Most Pole Hardware. The 9/16-Inch and 3/4-Inch Flip Socket Combines Two Of The Most Common Socket Sizes Into One Tool. The High-Torque, 12-Point Design Is Easier to Position and Works With Square Fasteners.
Weight per unit	N/A
Product Category	Tools & Testers

Features

Drive Size	1/2"
included	Socket, Square Adapter
Material	Steel
Number of Pieces	2
Number of Points	12
Overall Height	1.2" (3 cm)
Overall Width	1.2" (3 cm)

Material, Color, and Finish

Finish	Black Manganese Phosphate
--------	---------------------------

Dimensions and Weight

Overall Length	4.2" (10.7 cm)
----------------	-----------------

Descriptions

Description	3-IN-1 FLIP IMPACT SOCKET
extra long description	KLEIN 66044 3-in-1 Flip Impact Sock
Long Description	Klein's 3-in-1 Flip Impact Socket features an alignment slot to tighten and loosen most pole hardware. The 9/16-Inch and 3/4-Inch flip socket combines two of the most common socket sizes into one tool. The high-torque, 12-Point design is easier to position and works with square fasteners.
Product Type	3-In-1 Flip Impact Socket
Special Features	Slotted Socket, Hands-Free Adjustment

Manufacturer Information

Brand	Klein Tools
GTIN	00092644380211
Manufacturers Part Number	66044
UPC	092644380211



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685

Taxonomies, Classifications, and Categories

Category Description	HAND TOOLS
Type	Impact Rated

Packaging

Carton	1
Weight	10.24 oz (290 g)
Weight Per each	0

Uses, Certifications, and Standards

Application	Pole Hardware Installation and Removal
standard	ASME B107.110