

## ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



Size

#### ATM2 600V 2A Midget Fuse Mersen Fuses

Catalog Number	ATM2
Manufacturer	Mersen Fuses
Description	Fuse Atm - Midget - Fast-Acting 600VAC 600VDC 2A Ferrule Amp-Trap®
Weight per unit	0.0120 (lbs/each)
Product Category	Small Dimension Fuses
Features	
AC Voltage Rating	600
amperage rating	2
class	Midget
connection	Ferrule
DC Voltage Rating	600
interrupt rating	100
Voltage Rating	600
Material, Color, and Finish	
Body Material	GMG
<b>Dimensions and Weight</b>	
0.1	4 5 6 44

1.5 x 0.41



## ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

	_						 •	
н	1	$\sim$	•	^	~		io	•
н		_	•					•
	_	·	.,	u		•	·	-

Package

Weight Per each

Description	600V 2A MIDGET FUSE					
extra long description	Mersen ATM2 Fuse ATM - Midget - Fas					
Features	Amp-Trap® midget fast-acting ATM fuses are rated 600 volts AC and DC, with a 100kA interrupting rating. These ratings give the ATM a wide range of applications not covered by other midget fuses. In addition, ratings of 30/35, 30/40 and 30/50 amperes are offered for specific applications such as capacitor protection. These ATM fuses must still be considered 30A fuses because of their dimensions, but are able to withstand much higher inrush currents and tougher duty cycles. (Not for Branch Circuit Protection					
Long Description	Fuse ATM - Midget - Fast-Acting 600VAC 600VDC 2A Ferrule Amp-Trap®					
Product Type	Fuse Atm - Midget - Fast-Acting 600VAC 600VDC 2A Ferrule					
Short Description	600V 2A MIDGET FUSE					
Special Features	For supplemental protection of small motors and transformers Extended ratings for special protection of capacitors and circuits with high inrush currents 600VDC ratings for a wide variety of applications including photovoltaic and solar applications. Can be used with UltraSafe™ fuse holders 1 1/2" x 13/32" (10mm x 38mm) dimensions					
Manufacturer Information						
Brand	Mersen					
GTIN	00782001900786					
Manufacturers Part Number	ATM2					
UPC	782001900786					
Taxonomies, Classifications, and C Category Description	ategories MIDGET FUSES					
Type	Midget Fuses					
•						
Packaging Carton	1					

10

0.012



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

#### Uses, Certifications, and Standards

Application	Supplemental protection of of circuits up to 600VAC and 600VDC with 100kA I.R.
Mounting	Clip
standard	UL listed to standard 248-14 (1/10 to 30A) File E33925 DC Listed to UL Standard 248-14 (1/10 to 30A) CSA Certified to Standard
	C22.2 No. 248.14 (1/10 to 30A)