



## BRN250GF BR 2 Pole 50A GFST 120/240V 10 Kaic

Eaton Corp

Catalog Number	BRN250GF
Manufacturer	Eaton Corp
Description	Eaton BR Gfci Circuit Breaker, Ground Fault Personnel Protection Circuit Breakers, Pigtail Neutral, 50 A, 10 Kaic, Two-Pole, 120/240 V, GFTCB, Common, #14-4 Awg, Ground Fault Circuit Interrupter, GFI
Weight per unit	1.0 (lbs/each)
Product Category	Distribution Equipment

### Features

dimensions	4.2500 IN X 3.0000 IN X 2.0000 IN
------------	-----------------------------------

### Descriptions

Description	BR 2 POLE 50A GFST 120/240V 10 KAIC
extra long description	ETN BRN250GF BR 2 POLE 50A GFST, 12
Features	Eaton's BR circuit breakers are used in indoor and outdoor BR loadcenters, spa panels, meter breakers and sub panels. They are designed for a wide range of applications such as high short-circuit interrupt, series rating combinations with upstream main breakers, thermal magnetic, AFCI, GFCI, equipment protection and dual function AF/GF.
Long Description	EATON BR GFCI CIRCUIT BREAKER, GROUND FAULT PERSONNEL PROTECTION CIRCUIT BREAKERS, PIGTAIL NEUTRAL, 50 A, 10 KAIC, TWO-POLE, 120/240 V, GFTCB, COMMON, #14-4 AWG, GROUND FAULT CIRCUIT INTERRUPTER, GFI
Product Type	BR 2 Pole 50A GFST, 120/240V, 10 Kaic

### Manufacturer Information

Brand	Eaton
GTIN	00786676043793
Manufacturers Part Number	BRN250GF
UPC	786676043793

### Taxonomies, Classifications, and Categories

Category Description	Fault Sensing Breakers (AFCI/GFCI)
Type	GFCI circuit breakers

### Packaging

Carton	1
Weight Per each	1



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

4000 Mockingbird Ln  
79109-3210, TX Amarillo  
Phone: 806-220-0404  
Fax: 806-220-0811

## Uses, Certifications, and Standards

Application

Generation - Conventional Energy - Conventional  
Energy  
Datacenters - IT Space: CI and Hyper  
Converged  
Generation - Renewable Energy - Alternative  
Energy  
Marine Vessels and Equipment - Marine Vessels and  
Equipment - Other  
Other

standard

UL 943, UL 489