



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

802 West Main  
75652-4459, TX Henderson  
Phone: 903-657-1517  
Fax: 903-657-0253



## C49 1-1/4" AI MRK9 C CNDT Body

*Crouse-Hinds*

Catalog Number	C49
Manufacturer	Crouse-Hinds
Description	Eaton Crouse-Hinds Series Condulet Mark 9 Conduit Outlet Body, Copper-Free Aluminum, C Shape, 1-1/4"
Weight per unit	0.9500 (lbs/each)
Product Category	Alum

### Features

dimensions	7.6300 IN X 2.1900 IN X 2.5000 IN
------------	-----------------------------------

### Material, Color, and Finish

Finish	Untreated
--------	-----------

### Dimensions and Weight

Height	2-1/2
Hub Size	1-1/4 in
Length	7-1/2
Width	2-3/16

### Descriptions

Description	1-1/4" AL MRK9 C CNDT BODY
extra long description	CRS-H C49 1 1/4 NPT CST AL C MARK 9
Features	Mark 9 copper-free aluminum conduit bodies, covers and gaskets from Eaton's Crouse-Hinds Division are used in conduit systems to act as pull outlets for conductors being installed, provide openings for making splices and taps in conductors, make 90 degree bends in conduit runs, and provide for access to conductors for maintenance and future system changes. Mark 9 bodies are offered in seven different shapes, and they provide more room for heavier conductors.
Long Description	Eaton Crouse-Hinds series Condulet Mark 9 conduit outlet body, Copper-free aluminum, C shape, 1-1/4"
Product Type	1 1/4 NPT CST AI C Mark 9 CNDT Body

### Manufacturer Information

Brand	Crouse-Hinds
GTIN	00782274123608
UPC	782274123608

### Taxonomies, Classifications, and Categories

Type	Conduit outlet body
------	---------------------



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

802 West Main  
75652-4459, TX Henderson  
Phone: 903-657-1517  
Fax: 903-657-0253

## Packaging

Carton ..... 2

Weight Per each ..... 0.95

## Uses, Certifications, and Standards

Application ..... Ind Facilities & Factories - Industrial Facilities/Factories - Other

standard ..... UL 514B, CSA C22.2, FEDERAL SPECIFICATION W-C-586D