

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



CGB4915 CRS-H CGB4915 1 1/4 NPT Male Cord/C Crouse-Hinds

•	
Catalog Number	CGB4915
Manufacturer	Crouse-Hinds
Description	Eaton Crouse-Hinds Series CGB Cable Gland, Cable Range Min/Max: 1.625-1.875", Non-Armoured and Tray Cable, Non-Armoured, Steel, General Purpose, 1-1/4" NPT
Weight per unit	2.6 (lbs/each)
Product Category	Cable & Cord Grips
Features	
connection	Male NPT
dimensions	3.3100 IN X 3.0000 IN X 3.0000 IN
Material	Steel Body and Gland Nut, Neoprene Seal
Material, Color, and Finish Finish	Zinc Electroplated With Chromate Coated
	Zinc Liectropiated With Chromate Coated
Dimensions and Weight Size	1-1/4 in
Descriptions	
Description	CRS-H CGB4915 1 1/4 NPT MALE CORD/C
extra long description	CRS-H CGB4915 1 1/4 NPT MALE CORD/C
Features	They are also listed for use with tray cable types TC, TC-ER, TC-ER-HLA, ITC, ITC-ER, ITC-HL, PLTC and PLTC-ER. When installed in accordance with NEC501.10(B)(4), CGB, CGD, CGE and CGFP non-armoured glands are suitable for use in Class I, Division 2 hazardous locations. Crouse-Hinds series CGB, CGD, CGE and CGFP non-armoured glands are installed to provide a means for passing a cord, unarmoured cable or flexible conduit into an enclosure. The glands form an environmental seal for cord or unarmoured round
Long Description	Eaton Crouse-Hinds series CGB cable gland, Cable range min/max: 1.625-1.875", Non-armoured and tray cable, Non-armoured, Steel, General purpose, 1-1/4" NPT
Product Type	1 1/4 NPT Male Cord/Cab FTG Neo Bush
Special Features	Non-Armored Gland, With Sealing Gasket, Cord Size 1.000 To 1.188 In



ELLIOTT ELECTRIC SUPPLY 2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Manufacturer Information

Brand	Crouse-Hinds
GTIN	00782274138800
Manufacturers Part Number	CGB4915
UPC	782274138800

Taxonomies, Classifications, and Categories

Category Description	CORD CONNECTORS & CORD GRIPS
Type	Cable gland

Packaging

···~g···g		
Carton	1	
Package	2	
Weight Per each	2.62	

Uses, Certifications, and Standards

Application	Ind Facilities & Factories - Industrial Facilities/Factories - Other
Enclosure	Class I Div 2
standard	UL (CANADA AND US)
Temperature Rating	-25 To 40 Deg C
	· ·