# Eaton CH12L200R

# Catalog Number: CH12L200R

Eaton CH main lug loadcenters, Cover included, Main lug only, 200A, D, Copper, NEMA 3R, Metallic, Overhead, CH, 12, 12, Threewire, Single-phase, 120/240 V, #4 AWG-300 kcmil

### General specifications



Eaton CH main lug loadcenter

UPC

782113097404

**Product Height** 

5.19 in

**Product Weight** 

29.8 lb

Certifications

UL 50

**UL 67** 

Catalog Number

CH12L200R

Product Length/Depth

29.13 in

**Product Width** 

14.31 in

Warranty

Limited lifetime

#### Catalog Notes

Rainproof panels are furnished with hub closure plates. Suitable for use as a service equipment when a circuit breaker is used as a main breaker. The main breaker is backfed and requires hold-down bracket kit catalog number ch125rb.





## Product specifications

Special features

Cover included

Туре

Main lug only

Amperage Rating

200 A

Bus material

Copper

Feed type

Overhead

Main circuit breaker

СН

Number of circuits

12

Number of spaces

12

Phase

Single-phase

Voltage rating

120/240 V

Wire size

#4 AWG-300 kcmil

Box size

D

Enclosure

NEMA 3R

Enclosure material

Metallic

Number of wires

3

### Resources

Multimedia

AFCI Educational Video

Specifications and datasheets

Eaton Specification Sheet - CH12L200R

Warranty guides

Eaton type CH circuit breaker limited warranty June 2024



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2025 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia

# Eaton CH12L200R

# Catalog Number: CH12L200R

Eaton CH main lug loadcenters, Cover included, Main lug only, 200A, D, Copper, NEMA 3R, Metallic, Overhead, CH, 12, 12, Threewire, Single-phase, 120/240 V, #4 AWG-300 kcmil

### General specifications



Eaton CH main lug loadcenter

UPC

782113097404

**Product Height** 

5.19 in

**Product Weight** 

29.8 lb

Certifications

UL 50

**UL 67** 

Catalog Number

CH12L200R

Product Length/Depth

29.13 in

**Product Width** 

14.31 in

Warranty

Limited lifetime

#### Catalog Notes

Rainproof panels are furnished with hub closure plates. Suitable for use as a service equipment when a circuit breaker is used as a main breaker. The main breaker is backfed and requires hold-down bracket kit catalog number ch125rb.





## Product specifications

Special features

Cover included

Туре

Main lug only

Amperage Rating

200 A

Bus material

Copper

Feed type

Overhead

Main circuit breaker

СН

Number of circuits

12

Number of spaces

12

Phase

Single-phase

Voltage rating

120/240 V

Wire size

#4 AWG-300 kcmil

Box size

D

Enclosure

NEMA 3R

Enclosure material

Metallic

Number of wires

3

### Resources

Multimedia

AFCI Educational Video

Specifications and datasheets

Eaton Specification Sheet - CH12L200R

Warranty guides

Eaton type CH circuit breaker limited warranty June 2024



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2025 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia