# Specifications



## Eaton CHU7N7N5NS

Eaton pedestal mount unmetered, 20A, Non-ground fault, Top, Surface, Circ: 4, NEMA 6-20R2, 3, 125V, 250V

General specifications	
PRODUCT NAME	Eaton pedestal mount unmetered
CATALOG NUMBER	CHU7N7N5NS
UPC	782114203941
PRODUCT LENGTH/DEPTH	18.2 in
PRODUCT HEIGHT	7.9 in
PRODUCT WIDTH	10 in
PRODUCT WEIGHT	16 lb
WARRANTY	Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.
CERTIFICATIONS	UL 231 UL Listed file E163588





Physical Attributes	
CIRCUIT BREAKER POSITION 1	Non-ground fault
CIRCUIT BREAKER POSITION 2	Non-ground fault
CIRCUIT BREAKER POSITION 3	Non-ground fault
FEED TYPE	Тор
MOUNTING	Surface
NUMBER OF CIRCUITS	4
RECEPTACLE CENTER	NEMA 5-20R2GFI
RECEPTACLE LEFT	NEMA 5-20R2GFI
RECEPTACLE RIGHT	NEMA 6-20R2
ТҮРЕ	Unmetered

Resources	
CATALOGS	<u>Residential and Light</u> <u>Commercial, Power Pedestals,</u> <u>Volume 1 Tab 5</u>
SPECIFICATIONS AND DATASHEETS	Eaton Specification Sheet - CHU7N7N5NS

### **PROJECT NAME:**

#### **PROJECT NUMBER:**

### PREPARED BY:

DATE:



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

© 2025 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.



# Specifications



## Eaton CHU7N7N5NS

Eaton pedestal mount unmetered, 20A, Non-ground fault, Top, Surface, Circ: 4, NEMA 6-20R2, 3, 125V, 250V

General specifications	
PRODUCT NAME	Eaton pedestal mount unmetered
CATALOG NUMBER	CHU7N7N5NS
UPC	782114203941
PRODUCT LENGTH/DEPTH	18.2 in
PRODUCT HEIGHT	7.9 in
PRODUCT WIDTH	10 in
PRODUCT WEIGHT	16 lb
WARRANTY	Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.
CERTIFICATIONS	UL 231 UL Listed file E163588





Physical Attributes	
CIRCUIT BREAKER POSITION 1	Non-ground fault
CIRCUIT BREAKER POSITION 2	Non-ground fault
CIRCUIT BREAKER POSITION 3	Non-ground fault
FEED TYPE	Тор
MOUNTING	Surface
NUMBER OF CIRCUITS	4
RECEPTACLE CENTER	NEMA 5-20R2GFI
RECEPTACLE LEFT	NEMA 5-20R2GFI
RECEPTACLE RIGHT	NEMA 6-20R2
ТҮРЕ	Unmetered

Resources	
CATALOGS	<u>Residential and Light</u> <u>Commercial, Power Pedestals,</u> <u>Volume 1 Tab 5</u>
SPECIFICATIONS AND DATASHEETS	Eaton Specification Sheet - CHU7N7N5NS

### **PROJECT NAME:**

#### **PROJECT NUMBER:**

### PREPARED BY:

DATE:



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

© 2025 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

