

### ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



**Product Type** 

**Special Features** 

## **DH221FGK 30A/2P HD Fusible Safety Switch 240V Nema 1** *Eaton Corp*

Catalog Number	DH221FGK
Manufacturer	Eaton Corp
Description	Eaton Heavy Duty Single-Throw Fused Safety Switch, Enhanced Visible Blade, 30 A, Nema 1, Painted Steel, Class H, Fusible Without Neutral, Two-Pole, Two-Wire, 240 V, Max HP: 1.5, 5 HP (1PH @240V/250 VDC), #14-#2 Cu/Al
Weight per unit	14.0 (lbs/each)
Product Category	Fusible Heavy Duty Safety Swit
Features	
amperage rating	30
dimensions	18.0000 IN X 9.5000 IN X 7.5000 IN
Material	Painted Steel
media	Yes
Poles	2
Voltage Rating	240V
<b>Dimensions and Weight</b>	
Depth	18
Height	7.5
Width	9.5
Descriptions	
Description	30A/2P HD FUSIBLE SAFETY SWITCH 240V NEMA 1
extra long description	ETN DH221FGK 30A/2P HD Fusible Sfty
Features	Eaton's heavy-duty safety switches provide a highly visible means
	of disconnect to help improve personnel safety and equipment protection. Additionally, they're Ideal for applications where reliable performance, safety, and service continuity are critical.
Long Description	Eaton Heavy duty single-throw fused safety switch, Enhanced visible blade, 30 A, NEMA 1, Painted steel, Class H, Fusible without neutral, Two-pole, Two-wire, 240 V, Max Hp: 1.5, 5 hp (1PH @240V/250 Vdc), #14-#2 Cu/Al

30A/2P HD Fusible Sfty SW 240V N1

Enhanced visible blade



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

M	lanui	factu	rer In	forma	tion
---	-------	-------	--------	-------	------

Brand	EATON CUTLER-HAMMER
GTIN	00782114370322
Manufacturers Part Number	DH221FGK
UPC	782114370322

#### **Taxonomies, Classifications, and Categories**

Category Description	DISCONNECTS
Туре	Fusible safety switch

#### **Packaging**

ckaging	
Carton	1
Weight Per each	14

#### Uses, Certifications, and Standards

Application	Commercial / Institutional Buildings / Structures - Power
	Distribution and Controls
nema rating	1
standard	UL Listed, NEC 230.62 (C) Compliant Barrier