

IN BOX™ Recessed Non-Metallic Boxes

NEW!
EXTRA-DUTY
COVERS

EXTRA-DUTY Weatherproof-while-in-use, Low profile Cover




DBVS1C

for New & Existing Vinyl Siding



DBVM1C

for Textured Surfaces, Rigid Siding



DBVR1C

for Retrofit Flat Surfaces including brick



DHB1W


for New Brick in brown or white

With **IN BOX™** there are no extra parts to purchase or handle. You'll save big on labor and materials.

One-piece **IN BOX**, the recessed electrical box for exterior use, eliminates installing multiple pieces – an electrical box, bubble cover assembly and a siding block on siding. And the job looks great because **IN BOX** installs *in the wall* – so less shows outside. It's that simple.

Cost savings. Time savings.

A great-looking job. Get it all in Arlington's one-piece IN BOX!

- Non-metallic, 22.0 cu. inch electrical box with **extra-duty** weatherproof-while-in-use clear or white cover
- Single and two-gang, vertical and horizontal, for a variety of applications 
- For new and old work
- Accepts single-gang devices - no gaskets required



Installs in the wall. Less shows outside!

Arlington



IN BOX meets 2014 NEC, Section 406.9 (B) for the protection of exterior outlets which require the use of an **extra-duty** weatherproof while-in-use cover for all outdoor 15 or 20 AMP receptacles. Also meets 2015 CEC (Rule 26-702) for receptacles exposed to the weather.

Made in USA 

1 Stauffer Industrial Park
Scranton, PA 18517
800/233.4717
Fax 570/562.0646
www.aifittings.com



EXTRA-DUTY Weatherproof-while-in-use, Low profile Cover

RETROFIT

| CATALOG NUMBER | UPC/DCI/NAED MFG #01 8997 | DESCRIPTION (single gang) Mounting Orientation/Uses | COVER COLOR | STD PKG |
|----------------|---------------------------|---|-------------|---------|
|----------------|---------------------------|---|-------------|---------|

FOR FLAT SURFACES * (Also available with steel box)

| | | | | |
|--------|-------|------------|-------|---|
| DBVR1C | 14313 | Vertical | Clear | 4 |
| DBVR1W | 14314 | Vertical | White | 4 |
| DBHR1C | 77604 | Horizontal | Clear | 4 |
| DBHR1W | 77606 | Horizontal | White | 4 |

FOR EXISTING VINYL SIDING *

VERTICAL

| | | | | |
|----------|-------|-------------------------|-------|---|
| DBVR131C | 14370 | For 1/4" & 5/16" siding | Clear | 4 |
| DBVR131W | 14375 | For 1/4" & 5/16" siding | White | 4 |
| DBVR141C | 14371 | For 1/2" siding | Clear | 4 |
| DBVR141W | 14376 | For 1/2" siding | White | 4 |
| DBVR151C | 14372 | For 5/8" siding | Clear | 4 |
| DBVR151W | 14377 | For 5/8" siding | White | 4 |
| DBVR171C | 14373 | For dutch lap siding | Clear | 4 |
| DBVR171W | 14378 | For dutch lap siding | White | 4 |

HORIZONTAL

| | | | | |
|----------|-------|-------------------------|-------|---|
| DBHR131C | 77612 | For 1/4" & 5/16" siding | Clear | 4 |
| DBHR131W | 77614 | For 1/4" & 5/16" siding | White | 4 |
| DBHR141C | 77616 | For 1/2" siding | Clear | 4 |
| DBHR141W | 77618 | For 1/2" siding | White | 4 |
| DBHR151C | 77620 | For 5/8" siding | Clear | 4 |
| DBHR151W | 77622 | For 5/8" siding | White | 4 |
| DBHR171C | 77624 | For dutch lap siding | Clear | 4 |
| DBHR171W | 77626 | For dutch lap siding | White | 4 |

FOR CEMENTITIOUS RIGID LAP SIDING *

| | | | | |
|----------|-------|------------|-------|---|
| DBVR131C | 14370 | Vertical | Clear | 4 |
| DBVR131W | 14375 | Vertical | White | 4 |
| DBHR131C | 77612 | Horizontal | Clear | 4 |
| DBHR131W | 77614 | Horizontal | White | 4 |

NEW CONSTRUCTION

| CATALOG NUMBER | UPC/DCI/NAED MFG #01 8997 | DESCRIPTION (single gang) Mounting Orientation/Uses | CLEAR COVER | STD PKG |
|----------------|---------------------------|---|-------------|---------|
|----------------|---------------------------|---|-------------|---------|

FOR ANY NEW VINYL SIDING * (Also available with steel box)

| | | | | |
|--------|-------|------------|-------|---|
| DBVS1C | 14317 | Vertical | Clear | 4 |
| DBVS1W | 14318 | Vertical | White | 4 |
| DBHS1C | 77600 | Horizontal | Clear | 4 |
| DBHS1W | 77602 | Horizontal | White | 4 |

FOR STUCCO & TEXTURED SURFACES * (Also available with steel box)

Includes FXC plastic block bushing

| | | | | |
|--------|-------|------------|-------|---|
| DBVM1C | 14315 | Vertical | Clear | 4 |
| DBVM1W | 14316 | Vertical | White | 4 |
| DBHM1C | 77608 | Horizontal | Clear | 4 |
| DBHM1W | 77610 | Horizontal | White | 4 |

With fully adjustable flange depth **FOR ANY FOAM WALL SYSTEM AND FOR USE WHERE STUCCO THICKNESS VARIES** on concrete block, stucco

| | | | | |
|---------|-------|----------|-------|---|
| DBVMA1C | 77632 | Vertical | Clear | 4 |
| DBVMA1W | 77634 | Vertical | White | 4 |

FOR CEMENTITIOUS RIGID LAP SIDING

| | | | | |
|--------|-------|------------|-------|---|
| DBVM1C | 14315 | Vertical | Clear | 4 |
| DBVM1W | 14316 | Vertical | White | 4 |
| DBHM1C | 77608 | Horizontal | Clear | 4 |
| DBHM1W | 77610 | Horizontal | White | 4 |

FOR 1-1/2" WALL SYSTEMS

with fixed flange depth

| | | | | |
|---------|-------|----------|-------|---|
| DBVME1C | 77645 | Vertical | Clear | 4 |
| DBVME1W | 77646 | Vertical | White | 4 |

FOR NEW BRICK

| | | | | |
|--------|-------|------------------------|-------|---|
| DBHB1C | 77628 | White box • Horizontal | Clear | 4 |
| DBHB1W | 77630 | White box • Horizontal | White | 4 |

*** AVAILABLE IN TWO-GANG STYLE**

To order box with Ground Clip for Canada, add suffix 'GC', ie DBVMA1WGC.



Arlington

1 Stauffer Industrial Park
Scranton, PA 18517
800/233.4717
Fax 570/562.0646
www.aifittings.com

IN BOX meets 2014 NEC, Section 406.9 (B) for the protection of exterior outlets which require the use of an **extra-duty** weatherproof while-in-use cover for all outdoor 15 or 20 AMP receptacles. Also meets **2015 CEC (Rule 26-702)** for receptacles exposed to the weather.



DBVM2C
Two-gang
for Stucco



WITH ADAPTER SLEEVE • FOR NEW BRICK (Also available with steel box)

| | | | | |
|---------|-------|------------------------|-------|---|
| DHB1C | 54880 | White box • Horizontal | Clear | 4 |
| DHB1W | 54882 | White box • Horizontal | White | 4 |
| DVB1C | 43609 | White box • Vertical | Clear | 4 |
| DVB1W | 43620 | White box • Vertical | White | 4 |
| DHB1BRC | 54881 | Brown box • Horizontal | Clear | 4 |
| DHB1BR | 54875 | Brown box • Horizontal | Brown | 4 |
| DVB1BRC | 43608 | Brown box • Vertical | Clear | 4 |
| DVB1BR | 43595 | Brown box • Vertical | Brown | 4 |

Distributed by

IN BOX 0516/15M

Patented.
Other patents pending.

IN BOX™ Recessed Non-Metallic Boxes

NEW!
EXTRA-DUTY
COVERS

EXTRA-DUTY Weatherproof-while-in-use, Low profile Cover




DBVS1C

for New & Existing Vinyl Siding



DBVM1C

for Textured Surfaces, Rigid Siding



DBVR1C

for Retrofit Flat Surfaces including brick



DHB1W

for New Brick in brown or white


With **IN BOX™** there are no extra parts to purchase or handle. You'll save big on labor and materials.

One-piece **IN BOX**, the recessed electrical box for exterior use, eliminates installing multiple pieces – an electrical box, bubble cover assembly and a siding block on siding. And the job looks great because **IN BOX** installs *in the wall* – so less shows outside. It's that simple.

Cost savings. Time savings.

A great-looking job. Get it all in Arlington's one-piece IN BOX!

- Non-metallic, 22.0 cu. inch electrical box with **extra-duty** weatherproof-while-in-use clear or white cover
- Single and two-gang, vertical and horizontal, for a variety of applications
- For new and old work
- Accepts single-gang devices - no gaskets required



Installs in the wall. Less shows outside!

Arlington



Arlington

1 Stauffer Industrial Park
Scranton, PA 18517
800/233.4717
Fax 570/562.0646
www.aifittings.com

IN BOX meets 2014 NEC, Section 406.9 (B) for the protection of exterior outlets which require the use of an **extra-duty** weatherproof while-in-use cover for all outdoor 15 or 20 AMP receptacles. Also meets 2015 CEC (Rule 26-702) for receptacles exposed to the weather.

Made in USA



EXTRA-DUTY Weatherproof-while-in-use, Low profile Cover

RETROFIT

| CATALOG NUMBER | UPC/DCI/NAED MFG #01 8997 | DESCRIPTION (single gang) Mounting Orientation/Uses | COVER COLOR | STD PKG |
|----------------|---------------------------|---|-------------|---------|
|----------------|---------------------------|---|-------------|---------|

FOR FLAT SURFACES * (Also available with steel box)

| | | | | |
|--------|-------|------------|-------|---|
| DBVR1C | 14313 | Vertical | Clear | 4 |
| DBVR1W | 14314 | Vertical | White | 4 |
| DBHR1C | 77604 | Horizontal | Clear | 4 |
| DBHR1W | 77606 | Horizontal | White | 4 |

FOR EXISTING VINYL SIDING *

VERTICAL

| | | | | |
|----------|-------|-------------------------|-------|---|
| DBVR131C | 14370 | For 1/4" & 5/16" siding | Clear | 4 |
| DBVR131W | 14375 | For 1/4" & 5/16" siding | White | 4 |
| DBVR141C | 14371 | For 1/2" siding | Clear | 4 |
| DBVR141W | 14376 | For 1/2" siding | White | 4 |
| DBVR151C | 14372 | For 5/8" siding | Clear | 4 |
| DBVR151W | 14377 | For 5/8" siding | White | 4 |
| DBVR171C | 14373 | For dutch lap siding | Clear | 4 |
| DBVR171W | 14378 | For dutch lap siding | White | 4 |

HORIZONTAL

| | | | | |
|----------|-------|-------------------------|-------|---|
| DBHR131C | 77612 | For 1/4" & 5/16" siding | Clear | 4 |
| DBHR131W | 77614 | For 1/4" & 5/16" siding | White | 4 |
| DBHR141C | 77616 | For 1/2" siding | Clear | 4 |
| DBHR141W | 77618 | For 1/2" siding | White | 4 |
| DBHR151C | 77620 | For 5/8" siding | Clear | 4 |
| DBHR151W | 77622 | For 5/8" siding | White | 4 |
| DBHR171C | 77624 | For dutch lap siding | Clear | 4 |
| DBHR171W | 77626 | For dutch lap siding | White | 4 |

FOR CEMENTITIOUS RIGID LAP SIDING *

| | | | | |
|----------|-------|------------|-------|---|
| DBVR131C | 14370 | Vertical | Clear | 4 |
| DBVR131W | 14375 | Vertical | White | 4 |
| DBHR131C | 77612 | Horizontal | Clear | 4 |
| DBHR131W | 77614 | Horizontal | White | 4 |

NEW CONSTRUCTION

| CATALOG NUMBER | UPC/DCI/NAED MFG #01 8997 | DESCRIPTION (single gang) Mounting Orientation/Uses | CLEAR COVER | STD PKG |
|----------------|---------------------------|---|-------------|---------|
|----------------|---------------------------|---|-------------|---------|

FOR ANY NEW VINYL SIDING * (Also available with steel box)

| | | | | |
|--------|-------|------------|-------|---|
| DBVS1C | 14317 | Vertical | Clear | 4 |
| DBVS1W | 14318 | Vertical | White | 4 |
| DBHS1C | 77600 | Horizontal | Clear | 4 |
| DBHS1W | 77602 | Horizontal | White | 4 |

FOR STUCCO & TEXTURED SURFACES * (Also available with steel box)

Includes FXC plastic block bushing

| | | | | |
|--------|-------|------------|-------|---|
| DBVM1C | 14315 | Vertical | Clear | 4 |
| DBVM1W | 14316 | Vertical | White | 4 |
| DBHM1C | 77608 | Horizontal | Clear | 4 |
| DBHM1W | 77610 | Horizontal | White | 4 |

With fully adjustable flange depth **FOR ANY FOAM WALL SYSTEM AND FOR USE WHERE STUCCO THICKNESS VARIES** on concrete block, stucco

| | | | | |
|---------|-------|----------|-------|---|
| DBVMA1C | 77632 | Vertical | Clear | 4 |
| DBVMA1W | 77634 | Vertical | White | 4 |

FOR CEMENTITIOUS RIGID LAP SIDING

| | | | | |
|--------|-------|------------|-------|---|
| DBVM1C | 14315 | Vertical | Clear | 4 |
| DBVM1W | 14316 | Vertical | White | 4 |
| DBHM1C | 77608 | Horizontal | Clear | 4 |
| DBHM1W | 77610 | Horizontal | White | 4 |

FOR 1-1/2" WALL SYSTEMS

with fixed flange depth

| | | | | |
|---------|-------|----------|-------|---|
| DBVME1C | 77645 | Vertical | Clear | 4 |
| DBVME1W | 77646 | Vertical | White | 4 |

FOR NEW BRICK

| | | | | |
|--------|-------|------------------------|-------|---|
| DBHB1C | 77628 | White box • Horizontal | Clear | 4 |
| DBHB1W | 77630 | White box • Horizontal | White | 4 |

*** AVAILABLE IN TWO-GANG STYLE**

To order box with Ground Clip for Canada, add suffix 'GC', ie DBVMA1WGC.



Arlington

1 Stauffer Industrial Park
Scranton, PA 18517
800/233.4717
Fax 570/562.0646
www.aifittings.com

IN BOX meets 2014 NEC, Section 406.9 (B) for the protection of exterior outlets which require the use of an **extra-duty** weatherproof while-in-use cover for all outdoor 15 or 20 AMP receptacles. Also meets **2015 CEC (Rule 26-702)** for receptacles exposed to the weather.



DBVM2C
Two-gang
for Stucco



WITH ADAPTER SLEEVE • FOR NEW BRICK (Also available with steel box)

| | | | | |
|---------|-------|------------------------|-------|---|
| DHB1C | 54880 | White box • Horizontal | Clear | 4 |
| DHB1W | 54882 | White box • Horizontal | White | 4 |
| DVB1C | 43609 | White box • Vertical | Clear | 4 |
| DVB1W | 43620 | White box • Vertical | White | 4 |
| DHB1BRC | 54881 | Brown box • Horizontal | Clear | 4 |
| DHB1BR | 54875 | Brown box • Horizontal | Brown | 4 |
| DVB1BRC | 43608 | Brown box • Vertical | Clear | 4 |
| DVB1BR | 43595 | Brown box • Vertical | Brown | 4 |

Distributed by

IN BOX 0516/15M

Patented.
Other patents pending.