

DESCRIPTION

The H99RTAT is a small aperture Non-IC AIR-TITE™ housing for providing accent and task lighting. The H99RTAT is designed for use in non-insulated existing ceilings. Non-IC Housing is AIR-TITE™ but insulation must be kept 3 inches away from all sides of housing. For installation from below the ceiling.

Catalog #	Type
Project	
Comments	
Prepared by	Date

SPECIFICATION FEATURES

Housing

Formed of CRS with powder coat finish.

Remodel Clips

Four remodel clips secure housing and accommodates 1/2" and 5/8" ceiling materials.

Junction Box

- Seven 1/2" trade size conduit knockouts with true pry-out slots.
- Four pryouts with integral strain relief for non-metallic sheathed cable

"Quick Connect" Connectors

Three quick connect wiring connectors included.

Socket

Fixed position porcelain socket with nickel plated brass screw shell provides consistent lamp positioning.

Thermal Protector

Thermal protector deactivates fixture if overheating occurs due to improper lamping or misapplied insulation.

Labels

- UL/cUL Listed 1598 Luminaire
- UL/cUL Damp Location Listed
- UL/cUL Listed for Wet Location, covered ceiling - with select trims
- Certified Under ASTM-E283 for air tight construction
- IP rated (Improper Lamp)





H99RTAT

4" Non-Insulated Ceiling AIR-TITE™ Recessed Remodel Housing

4" TRIMS

FOR USE IN NONINSULATED CEILINGS OR INSULATED CEILINGS WHERE INSULATION CAN BE KEPT 3" FROM ALL SIDES OF FIXTURE FOR USE IN EXISTING CEILINGS



TRIMS

ORDERING INFORMATION

SAMPLE NUMBER: H99RTAT-999P

Order housing and trims separately.

Housing

Trims

H99RTAT=4" Non-Insulated Ceiling
Small Aperture AIR-TITE
Remodel Housing

REFLECTORS



999

Reflector Cone

40W R16, 50W R20, 50W PAR20

999P=Specular Clear, White Trim Ring**999AC**=Antique Copper with Antique
Copper Trim Ring**999RG**=Residential Gold, white trim ring**999W**=White Reflector, White Trim Ring**999H**=Haze Reflector, White Trim Ring**999MB**=Specular Black Reflector, White
Trim Ring**999SN**=Satin Nickel Reflector with Satin
Nickel Trim Ring**999TBZ**=Tuscan Bronze Reflector with
Tuscan Bronze Trim Ring
OD: 5 1/16" (129mm)


BAFFLES



993

Coilex Baffle with Die Cast Trim Ring

40W R16, 50W R20, 50W PAR20

993P=Black Baffle with White Trim Ring**993AC**=Black Baffle with Antique
Copper Trim Ring**993PB**=Black Baffle with Polished Brass
Trim Ring**993W**=White Baffle with White Trim Ring**993SN**=Black Baffle with Satin Nickel
Trim Ring**993TBZ**=Black Baffle with Tuscan Bronze
Trim Ring
OD: 5 1/16" (129mm)

953

Metal Baffle with Die Cast Trim Ring

40W R16, 50W R20, 50W PAR20

953P=Black Baffle with White Trim Ring**953W**=White Baffle with White Trim Ring**953AC**=Antique Copper Baffle with Antique
Copper Trim Ring**953SN**=Satin Nickel Baffle with Satin Nickel
Trim Ring**953TBZ**=Tuscan Bronze Baffle with Tuscan
Bronze Trim Ring
OD: 5 1/16" (129mm)

ERT413

Full Cone Metal Baffle40W A19, (50W R20 - ERT413WHT only),
50W PAR 20**ERT413WHT**=High Gloss Appliance White Trim
Ring with White Baffle**ERT413**=High Gloss Appliance White Trim
Ring with Black Baffle

OD: 5 1/16" (129mm)

ADJUSTABLES



998

Eyeball - 30° Tilt

40W R16, 60W PAR16

998P=White Eyeball**998AC**=Antique Copper Eyeball**998PB**=Polished Brass Eyeball**998SN**=Satin Nickel Eyeball**998TBZ**=Tuscan Bronze Eyeball
OD: 5 1/16" (129mm)

OPEN



945

Metropolitan Ice Light

50W PAR20, 50W R20

945=Clear Frosted**945BLUE**=Blue Frosted

OD: 5 5/16" (135mm)



946

Metropolitan Deco

50W PAR20, 50W R20

946BC=Green Tint Rings with
Black Chrome Metal Body**946PB**=Green Tint Rings with
Polished Brass Metal Body

OD: 5 5/8" (143mm)



990

Pinhole Trim40W A19, 40W R16, 50W PAR20,
50W R20**990P**=White Die Cast Trim**990AC**=Antique Copper Die Cast
Trim**990SN**=Satin Nickel Die Cast
Trim**990TBZ**=Tuscan Bronze Die
Cast Trim

OD: 5 1/16" (129mm)


WALL WASH



992

Wall Wash with Baffle40W R16, 40W A19, 50W R20,
50W PAR20**992P**=White Scoop and Trim Ring,
Black Baffle**992AC**=Antique Copper, Scoop and
Trim Ring, Black Baffle**992W**=White Scoop and Trim Ring,
White Baffle**992SN**=Satin Nickel Scoop and Trim
Ring, Black Baffle**992TBZ**=Tuscan Bronze Scoop and
Trim Ring, Black Baffle
OD: 5 1/16" (129mm)

SHOWER LIGHT



951

Shower Light, Full Reflector


40W A19, 50W PAR20, 50W R20

951PS=Shower Light, White Trim Ring,
Glass Lens**951ACS**=Shower Light, Antique Copper
Trim Ring, Glass Lens**951SNS**=Shower Light, Satin Nickel Trim
Ring, Glass Lens**951TBZS**=Shower Light, Tuscan Bronze
Trim Ring, Glass Lens
OD: 5 1/16" (129mm)

952

**Frosted Dome Lens Shower Light,
Cone Reflector**

40W A19, 50W PAR20, 50W R20

952PS=White Trim Ring, Dome Lens
Shower Light

955

Shower Light, Cone Reflector

40W A19, 50W PAR20, 50W R20

955PS=Shower Light, White Trim Ring,
Glass Lens

Note: Specifications and Dimensions subject to change without notice.

Visit our web site at www.cooperlighting.com

DESCRIPTION

The H99RTAT is a small aperture Non-IC AIR-TITE™ housing for providing accent and task lighting. The H99RTAT is designed for use in non-insulated existing ceilings. Non-IC Housing is AIR-TITE™ but insulation must be kept 3 inches away from all sides of housing. For installation from below the ceiling.

Catalog #	Type
Project	
Comments	
Prepared by	Date

SPECIFICATION FEATURES

Housing

Formed of CRS with powder coat finish.

Remodel Clips

Four remodel clips secure housing and accommodates 1/2" and 5/8" ceiling materials.

Junction Box

- Seven 1/2" trade size conduit knockouts with true pry-out slots.
- Four pryouts with integral strain relief for non-metallic sheathed cable

"Quick Connect" Connectors

Three quick connect wiring connectors included.

Socket

Fixed position porcelain socket with nickel plated brass screw shell provides consistent lamp positioning.

Thermal Protector

Thermal protector deactivates fixture if overheating occurs due to improper lamping or misapplied insulation.

Labels

- UL/cUL Listed 1598 Luminaire
- UL/cUL Damp Location Listed
- UL/cUL Listed for Wet Location, covered ceiling - with select trims
- Certified Under ASTM-E283 for air tight construction
- IP rated (Improper Lamp)





H99RTAT

4" Non-Insulated Ceiling AIR-TITE™ Recessed Remodel Housing

4" TRIMS

FOR USE IN NONINSULATED CEILINGS OR INSULATED CEILINGS WHERE INSULATION CAN BE KEPT 3" FROM ALL SIDES OF FIXTURE FOR USE IN EXISTING CEILINGS



TRIMS

ORDERING INFORMATION

SAMPLE NUMBER: H99RTAT-999P

Order housing and trims separately.

Housing

Trims

H99RTAT=4" Non-Insulated Ceiling
Small Aperture AIR-TITE
Remodel Housing

REFLECTORS




999

Reflector Cone

40W R16, 50W R20, 50W PAR20

999P=Specular Clear, White Trim Ring**999AC**=Antique Copper with Antique
Copper Trim Ring**999RG**=Residential Gold, white trim ring**999W**=White Reflector, White Trim Ring**999H**=Haze Reflector, White Trim Ring**999MB**=Specular Black Reflector, White
Trim Ring**999SN**=Satin Nickel Reflector with Satin
Nickel Trim Ring**999TBZ**=Tuscan Bronze Reflector with
Tuscan Bronze Trim Ring
OD: 5 1/16" (129mm)


BAFFLES



993

Coilex Baffle with Die Cast Trim Ring

40W R16, 50W R20, 50W PAR20

993P=Black Baffle with White Trim Ring**993AC**=Black Baffle with Antique
Copper Trim Ring**993PB**=Black Baffle with Polished Brass
Trim Ring**993W**=White Baffle with White Trim Ring**993SN**=Black Baffle with Satin Nickel
Trim Ring**993TBZ**=Black Baffle with Tuscan Bronze
Trim Ring
OD: 5 1/16" (129mm)

953

Metal Baffle with Die Cast Trim Ring

40W R16, 50W R20, 50W PAR20

953P=Black Baffle with White Trim Ring**953W**=White Baffle with White Trim Ring**953AC**=Antique Copper Baffle with Antique
Copper Trim Ring**953SN**=Satin Nickel Baffle with Satin Nickel
Trim Ring**953TBZ**=Tuscan Bronze Baffle with Tuscan
Bronze Trim Ring
OD: 5 1/16" (129mm)

ERT413

Full Cone Metal Baffle40W A19, (50W R20 - ERT413WHT only),
50W PAR 20**ERT413WHT**=High Gloss Appliance White Trim
Ring with White Baffle**ERT413**=High Gloss Appliance White Trim
Ring with Black Baffle

OD: 5 1/16" (129mm)

ADJUSTABLES



998

Eyeball - 30° Tilt

40W R16, 60W PAR16

998P=White Eyeball**998AC**=Antique Copper Eyeball**998PB**=Polished Brass Eyeball**998SN**=Satin Nickel Eyeball**998TBZ**=Tuscan Bronze Eyeball
OD: 5 1/16" (129mm)

OPEN



945

Metropolitan Ice Light

50W PAR20, 50W R20

945=Clear Frosted**945BLUE**=Blue Frosted

OD: 5 5/16" (135mm)



946

Metropolitan Deco

50W PAR20, 50W R20

946BC=Green Tint Rings with
Black Chrome Metal Body**946PB**=Green Tint Rings with
Polished Brass Metal Body

OD: 5 5/8" (143mm)



990

Pinhole Trim40W A19, 40W R16, 50W PAR20,
50W R20**990P**=White Die Cast Trim**990AC**=Antique Copper Die Cast
Trim**990SN**=Satin Nickel Die Cast
Trim**990TBZ**=Tuscan Bronze Die
Cast Trim

OD: 5 1/16" (129mm)


WALL WASH



992

Wall Wash with Baffle40W R16, 40W A19, 50W R20,
50W PAR20**992P**=White Scoop and Trim Ring,
Black Baffle**992AC**=Antique Copper, Scoop and
Trim Ring, Black Baffle**992W**=White Scoop and Trim Ring,
White Baffle**992SN**=Satin Nickel Scoop and Trim
Ring, Black Baffle**992TBZ**=Tuscan Bronze Scoop and
Trim Ring, Black Baffle
OD: 5 1/16" (129mm)

SHOWER LIGHT



951

Shower Light, Full Reflector


40W A19, 50W PAR20, 50W R20

951PS=Shower Light, White Trim Ring,
Glass Lens**951ACS**=Shower Light, Antique Copper
Trim Ring, Glass Lens**951SNS**=Shower Light, Satin Nickel Trim
Ring, Glass Lens**951TBZS**=Shower Light, Tuscan Bronze
Trim Ring, Glass Lens
OD: 5 1/16" (129mm)

952

**Frosted Dome Lens Shower Light,
Cone Reflector**

40W A19, 50W PAR20, 50W R20

952PS=White Trim Ring, Dome Lens
Shower Light

955

Shower Light, Cone Reflector

40W A19, 50W PAR20, 50W R20

955PS=Shower Light, White Trim Ring,
Glass Lens

Note: Specifications and Dimensions subject to change without notice.

Visit our web site at www.cooperlighting.com