

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



Weight Per each

L1420P Plug 20A 125/250V 3P4W LKG BW Eaton Wiring Devices

| Catalog Number | L1420P |
|-----------------------------------|--|
| Manufacturer | Eaton Wiring Devices |
| Description | Eaton Locking Plug, #16-12 Awg, 20A, Industrial, 125/250V, Back Wiring, Black, White, Ultra Grip, L14-20, Three-Pole, Four-Wire, Nylon |
| Weight per unit | 0.1900 (lbs/each) |
| Product Category | Plugs, Connectors, Inlets, Out |
| eatures | |
| dimensions | 1.8400 IN X 1.8400 IN X 3.2000 IN |
| media | Yes |
| Descriptions | |
| Description | PLUG 20A 125/250V 3P4W LKG BW |
| extra long description | EWD L1420P Plug 20A 125/250V 3P4W L |
| Features | Industrial grade locking devices are designed for quick and easy installation and provide reliable performance in tough industrial environments. |
| Long Description | Eaton locking plug, #16-12 AWG, 20A, Industrial, 125/250V, Back wiring, Black, white, Ultra grip, L14-20, Three-pole, Four-wire, Nylon |
| Product Type | Plug 20A 125/250V 3P4W LKG BW |
| Special Features | Comml grd plugs & conns |
| Manufacturer Information | |
| Brand | COOPER WIRING DEVICES |
| GTIN | 00032664391804 |
| Manufacturers Part Number | L1420P |
| UPC | 032664391804 |
| axonomies, Classifications, and C | Categories |
| Category Description | Industrial cord connectors |
| Туре | Standard locking |
| Packaging | |
| Carton | 1 |
| Package | 10 |

0.19

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Uses, Certifications, and Standards

| 200, 00: 1:::001:0::0, 0::0 | 441.441.40 |
|-----------------------------|--|
| Application | Commercial / Institutional Buildings / Structures - Commercial / |
| | Institutional Buildings / Structures - OtherInd Facilities & |
| | Factories - Facility - Other |
| standard | NOM.CSA certified.UL Listed.cULus Listed.RoHS Compliant |