



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



L520RW Recp Single WT 20A 125V 2P3W H/L YI

Eaton Wiring Devices

| | |
|------------------|---|
| Catalog Number | L520RW |
| Manufacturer | Eaton Wiring Devices |
| Description | Eaton Arrow Hart Watertight Locking Receptacle, #14-8 Awg, 20A, Industrial, 125V, Back Wiring, Yellow, Single, Watertight, L5-20, Two-Pole, Three-Wire, Thermoplastic |
| Weight per unit | 1.0 (lbs/each) |
| Product Category | Gen Purpose Recept & Surge Pro |

Features

| | |
|------------|-----------------------------------|
| dimensions | 6.7500 IN X 4.2500 IN X 4.0000 IN |
| media | Yes |

Descriptions

| | |
|------------------------|---|
| Description | RECP SINGLE WT 20A 125V 2P3W H/L YL |
| extra long description | EWD L520RW Recp Single WT 20A 125V |
| Features | Eaton's Arrow Hart watertight locking devices utilize a unique, robust design and superior materials to provide watertight security in harsh environments. |
| Long Description | Eaton Arrow Hart watertight locking receptacle, #14-8 AWG, 20A, Industrial, 125V, Back wiring, Yellow, Single, Watertight, L5-20, Two-pole, Three-wire, Thermoplastic |
| Product Type | Recp Single WT 20A 125V 2P3W H/L YI |
| Special Features | Watertight locking |

Manufacturer Information

| | |
|---------------------------|----------------|
| Brand | Eaton |
| GTIN | 00040893687612 |
| Manufacturers Part Number | L520RW |
| UPC | 040893687612 |

Taxonomies, Classifications, and Categories

| | |
|----------------------|---|
| Category Description | NEMA RATED TURNLOK PLUGS, CONNECTORS, & RECEPTICLES |
| Type | Watertight |

Packaging

| | |
|-----------------|-------|
| Carton | 1 |
| Package | 10 |
| Weight Per each | 1.025 |

Uses, Certifications, and Standards

| | |
|-------------|---|
| Application | Ind Facilities & Factories - Facility - Other |
| standard | NOM,cULus Listed,UL Listed,CSA certified,Federal Specifications Classification W-C375 |