

## Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



## LPJ125SP 125A 600V TD Dual Elem Class J Fuse Bussmann Fuses

Catalog Number Manufacturer Description	Ducomona Fucos
Weight per unit	0.7800 (lbs/each)
Product Category	Dual Element
Features	
amperage rating	125
connection	Bolted Blade End X Bolted Blade End
dimensions	5.7500 IN X 1.5000 IN X 1.5000 IN
element	
Fuse Class	Class J
interrupt rating	300 kAIC at 600 Vac100 kAIC Vdc
media	Yes
Response Time	10 sec at 500%
Voltage Rating	
Dimensions and Weight	
Size	1.63 In Diameter X 5.75 In Length
Descriptions	
Description	125A 600V TD DUAL ELEM CLASS J FUSE
extra long description	BUSS LPJ-125SP LOW PEAK CLASS J T/D
Features	Bussmann's UL Class J fuse products extend both our Low-Peak family of products with our LPJ_SP and LPJ_SPI dual-element, time-delay fuses as well as our Limitron line offering fast-acting JKS fuses. The LPJ fuses provide industry leading 300,000 amp interrupting rating at 600Vac RMS Sym and 100kA Vdc while delivering a minimum of 10 seconds of 500 percent rated current ride-through performance which is ideal for sizing of high inrush loads. The LPJ products are available with optional permanent replace fu
Long Description	Eaton Bussmann Series Class J fuse, LPJ, time-delay, dual-element current limiting fuse, 125 A, non-idicating fuse, interrupting rating of 300 kA at 600 Vac and 100 kA at 300 Vdc
Product Type	
Special Features	Non-indicating, High in-rush current motor protection



## **E**LLIOTT **E**LECTRIC **S**UPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

## **Manufacturer Information**

Brand	Eaton
GTIN	00051712523424
Manufacturers Part Number	LPJ-125SP
UPC	051712523424
Taxonomies, Classifications, and Cate	egories
Category Description	Fusos & Fuso Accessories
Туре	FUSE
Packaging	
Carton	1
Weight Per each	0.78
Uses, Certifications, and Standards	
Application	Ind Facilities & Factories - Facility: Safety and Security Systems
standard	RoHS Compliant, CE Marked