

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

1135 Butler Road 77573-0000, TX League City Phone: 281-833-5333 Fax: 281-833-5334



UPC

LR200M 2" LR FM5 Conduit Body Crouse-Hinds

Crouse-Hinds	
Catalog Number	LR200M
Manufacturer	Crouse-Hinds
Description	Eaton Crouse-Hinds Series Condulet Form 5 Conduit Outlet Body, Malleable Iron, LR Shape, 2"
Weight per unit	5.3 (lbs/each)
Product Category	Bodies & Covers
Features	
dimensions	10.5000 IN X 3.3100 IN X 4.1200 IN
Form	Form 5
Material, Color, and Finish Finish	Electrogalvanized With Aluminum Acrylic Painted
Dimensions and Weight	
Height	3.31
Hub Size	2 in
Length	40.50
Width	4.12
Descriptions	
Description	2" LR FM5 CONDUIT BODY
extra long description	CRS-H LR200M 2 FORM 5 LR COND BODY
Features	Form 5 malleable iron conduit bodies, covers and gaskets from Eaton's Crouse-Hinds Division are used in conduit systems to act as pull outlets for conductors being installed, provide openings for making splices and taps in conductors, make 90 degree bends in conduit runs, and provide access to conductors for maintenance and future system changes. Form 5 conduit bodies are manufactured in trade sizes 1/2" to 4", and are interchangeable with Appleton Form 35 conduit bodies. They are also available with a h
Long Description	Eaton Crouse-Hinds series Condulet Form 5 conduit outlet body, Malleable iron, LR shape, 2"
Product Type	2 Form F. I.D. Cond Dody Mollooklo
Manufacturer Information Brand	Eaton
GTIN	00782274756080
Manufacturers Part Number	LR200M

782274756080



standard

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

1135 Butler Road 77573-0000, TX League City Phone: 281-833-5333 Fax: 281-833-5334

Taxonomies, Classifications, and Categories	
Category Description	FORM 5 CONDULETS, COVERS, & GASKETS
Туре	Conduit outlet body
Packaging	
Carton	1
Weight Per each	5.3
Uses, Certifications, and Standards	
Application	Commercial / Institutional Buildings / Structures - Commercial /
	Institutional Buildings / Structures - Other

UL 514B, CSA C22.2, CUL