# Eaton QCR2030

# Catalog Number: QCR2030

Eaton Quicklag Type QCR 1/2-inch Industrial Thermal-Magnetic Circuit Breaker,Industrial circuit breaker,30 A,10 kAIC,Twopole,120/240 V,Thermal-magnetic,Cable-in/cable-out,QCR,Fixed

### General specifications

Product Name	Catalog Number
Eaton QCR thermal magnetic circuit	QCR2030
breaker	UPC 786679144343
Product Length/Depth	Product Height
4.6 in	1.2 in
Product Width 3.3 in	Product Weight 0.5 lb
Warranty 1 year	Compliances HACR Rated
Certifications	Catalog Notes
CSA Certified	Standard breaker terminals are box type
UL Listed	lugs.





## **Physical Attributes**

### Circuit breaker type

QCR

### Connection

Cable-in/cable-out

#### Mounting Method

Rear

### Number of poles

Two-pole

### Terminals

Fixed

### Туре

Industrial circuit breaker

## Performance Ratings

Amperage Rating

30 A

Interrupt rating

10 kAIC

Trip Type T268

### Voltage rating

120/240 V

### Resources

# Specifications and datasheets Eaton Specification Sheet - QCR2030



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2025 Eaton. All Righ Reserved.

Eaton is a registered trademark.

Eaton.comAll other trademarks are© 2025 Eaton. All Rightsproperty of their respectiveReserved.owners.



Eaton.com/socialmedia

# Eaton QCR2030

# Catalog Number: QCR2030

Eaton Quicklag Type QCR 1/2-inch Industrial Thermal-Magnetic Circuit Breaker,Industrial circuit breaker,30 A,10 kAIC,Twopole,120/240 V,Thermal-magnetic,Cable-in/cable-out,QCR,Fixed

### General specifications

Product Name	Catalog Number
Eaton QCR thermal magnetic circuit	QCR2030
breaker	UPC 786679144343
Product Length/Depth	Product Height
4.6 in	1.2 in
Product Width 3.3 in	Product Weight 0.5 lb
Warranty 1 year	Compliances HACR Rated
Certifications	Catalog Notes
CSA Certified	Standard breaker terminals are box type
UL Listed	lugs.





## **Physical Attributes**

### Circuit breaker type

QCR

### Connection

Cable-in/cable-out

#### Mounting Method

Rear

### Number of poles

Two-pole

### Terminals

Fixed

### Туре

Industrial circuit breaker

## Performance Ratings

Amperage Rating

30 A

Interrupt rating

10 kAIC

Trip Type T268

### Voltage rating

120/240 V

### Resources

# Specifications and datasheets Eaton Specification Sheet - QCR2030



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2025 Eaton. All Righ Reserved.

Eaton is a registered trademark.

Eaton.comAll other trademarks are© 2025 Eaton. All Rightsproperty of their respectiveReserved.owners.



Eaton.com/socialmedia