# PASS & SEYMOUR®
# Stainless Steel
# One & Two Gang Wall Plates


## SS1, SS2, SS8, SS82, SS26, SS262, SS13, SS23, SS7, SS72, SS720

## Our most corrosion-resistant metal wall plates.

These brushed-finish wall plates are made with .032" Type 302/304 stainless steel. This alloy is nonmagnetic and contains 18 percent chromium and 8 percent nickel for superior corrosion resistance. As a result, these plates will endure in corrosive atmospheres — and withstand abuse in any commercial application.



## FEATURES & BENEFITS




SS262, SS13

## FIELD USES/VERTICAL MARKETS

- Industrial
- Retail
- Health Care
- Office
- Education
- Hospitality/Lodging
- Institutional
- Multiple Dwelling

# PASS & SEYMOUR®
# Stainless Steel
# One & Two Gang Wall Plates

## Ordering Information

| Description | Catalog Number | Description | Catalog Number |
|---|---|---|---|
| **Stainless Steel Toggle Switch Openings** | | | |
| One Gang | SS1 | Two Gang | SS2 |
| **Stainless Steel Duplex Receptacle Openings** | | | |
| One Gang | SS8 | Two Gang | SS82 |
| **Stainless Steel Decorator Openings** | | | |
| One Gang | SS26 | Two Gang | SS262 |
| **Stainless Steel Blank Plates — Box Mounted** | | | |
| One Gang | SS13 | Two Gang | SS23 |
| **Stainless Steel Single Receptacle Openings** | | | |
| One Gang | SS7 | Two Gang | SS72 |
| **Stainless Steel Power Outlet Receptacle Opening** | | | |
| One Gang | SS720 | | |

Custom painted wall plates are available in the following colors. Add suffix to the part number.

| COLOR | SUFFIX |
|---|---|
| Orange | ORG |
| Green | GRN |
| Gray | GRY |
| Yellow | YFI |
| Glossy Black | GBK |
| Brown | BRO |
| White | WHT |
| Primer | PRI |
| Red | RED |
| Pink | PNK |
| Flat Black | FBK |
| Ivory | IVY |
| Light Almond | LTA |
| Blue | MBL |

All paint finishes are gloss, except primer and flat black. Only available on stainless steel and aluminum plate material.

For more information on these and other P&S products refer to our Product Guide or visit our web site.

# PASS & SEYMOUR
# Stainless Steel
# One & Two Gang Wall Plates

## Technical Specifications

### 3rd Party Compliance

UL Listed, Standard UL514, Cover Plates for Flush Mounted Wiring Devices.
CSA Certified.

### Performance

| | |
|---|---|
| Environmental | Corrosion-Resistant |

### Materials


| | |
|---|---|
| Plate Material | .032" 302/304 Stainless Steel |
| Plate Finish | Brushed |
| Screws | 302/304 Stainless Steel |

**Warranty**


1 Year

**Country of Origin**

**USA**




**Dimensions for One Gang**




**Dimensions for Two Gang**

## COMPLEMENTARY DEVICES & ACCESSORIES



### TURNLOK® LOCKING DEVICES

- Heavy-Duty Receptacles
- Heavy-Duty Flanged Inlets & Outlets



### GROUND CONTINUITY MONITORING (GCM)

- Extra-Hard Use Straight Blade
- Heavy-Duty Turnlok®



### STRAIGHT BLADE PLUGS & CONNECTORS

- Extra-Hard Use
- Heavy-Duty MaxGrip® M³



### SPD & ISOLATED GROUND DEVICES

- Construction Grade Isolated Ground
- Heavy-Duty Turnlok® Isolated Ground
- Heavy-Duty Isolated Ground SPD
- Heavy-Duty SPD
- Construction Grade SPD



### IEC 309 INDUSTRIAL PRODUCTS

- Fusible & Non-Fusible Mechanical Interlocks
- Fusible & Non-Fusible Safety Switches
- Pin & Sleeve Devices

## ALSO AVAILABLE...

- Lighting Controls
- USB Charging Devices
- Hospital Grade Devices
- PlugTail Devices
- GFCIs
- SPD Isolated Ground Devices
- Ground Continuity Monitoring Devices
- Straight Blade Plugs & Connectors
- Turnlok® Locking Devices
- IEC 309 Industrial Products
- Flexcor® Wire Mesh Grips


**Electrical Wiring Systems**

P.O. Box 4822
Syracuse, NY 13221-4822
Phone: 1.800.776.4035
www.legrand.us/passandseymour

570 Applewood Crescent
Vaughan, Ontario L4K 4B4
Phone:905.738.9195
www.legrand.ca



**SF2502R2 – Updated January 2014 – For latest specs visit www.legrand.us/passandseymour**



© Copyright 2014 All Rights Reserved Legrand EWS/CGXTP

# PASS & SEYMOUR®
# Stainless Steel
# One & Two Gang Wall Plates


## SS1, SS2, SS8, SS82, SS26, SS262, SS13, SS23, SS7, SS72, SS720

## Our most corrosion-resistant metal wall plates.

These brushed-finish wall plates are made with .032" Type 302/304 stainless steel. This alloy is nonmagnetic and contains 18 percent chromium and 8 percent nickel for superior corrosion resistance. As a result, these plates will endure in corrosive atmospheres — and withstand abuse in any commercial application.



## FEATURES & BENEFITS




SS262, SS13

## FIELD USES/VERTICAL MARKETS

- Industrial
- Retail
- Health Care
- Office
- Education
- Hospitality/Lodging
- Institutional
- Multiple Dwelling

# PASS & SEYMOUR®
# Stainless Steel
# One & Two Gang Wall Plates

## Ordering Information

| Description | Catalog Number | Description | Catalog Number |
|---|---|---|---|
| **Stainless Steel Toggle Switch Openings** | | | |
| One Gang | SS1 | Two Gang | SS2 |
| **Stainless Steel Duplex Receptacle Openings** | | | |
| One Gang | SS8 | Two Gang | SS82 |
| **Stainless Steel Decorator Openings** | | | |
| One Gang | SS26 | Two Gang | SS262 |
| **Stainless Steel Blank Plates — Box Mounted** | | | |
| One Gang | SS13 | Two Gang | SS23 |
| **Stainless Steel Single Receptacle Openings** | | | |
| One Gang | SS7 | Two Gang | SS72 |
| **Stainless Steel Power Outlet Receptacle Opening** | | | |
| One Gang | SS720 | | |

Custom painted wall plates are available in the following colors. Add suffix to the part number.

| COLOR | SUFFIX |
|---|---|
| Orange | ORG |
| Green | GRN |
| Gray | GRY |
| Yellow | YFI |
| Glossy Black | GBK |
| Brown | BRO |
| White | WHT |
| Primer | PRI |
| Red | RED |
| Pink | PNK |
| Flat Black | FBK |
| Ivory | IVY |
| Light Almond | LTA |
| Blue | MBL |

All paint finishes are gloss, except primer and flat black. Only available on stainless steel and aluminum plate material.

For more information on these and other P&S products refer to our Product Guide or visit our web site.

# PASS & SEYMOUR
# Stainless Steel
# One & Two Gang Wall Plates

## Technical Specifications

### 3rd Party Compliance

UL Listed, Standard UL514, Cover Plates for Flush Mounted Wiring Devices.
CSA Certified.

### Performance

| | |
|---|---|
| Environmental | Corrosion-Resistant |

### Materials


| | |
|---|---|
| Plate Material | .032" 302/304 Stainless Steel |
| Plate Finish | Brushed |
| Screws | 302/304 Stainless Steel |

**Warranty**


1 Year

**Country of Origin**

**USA**




**Dimensions for One Gang**




**Dimensions for Two Gang**

## COMPLEMENTARY DEVICES & ACCESSORIES



### TURNLOK® LOCKING DEVICES

- Heavy-Duty Receptacles
- Heavy-Duty Flanged Inlets & Outlets



### GROUND CONTINUITY MONITORING (GCM)

- Extra-Hard Use Straight Blade
- Heavy-Duty Turnlok®



### STRAIGHT BLADE PLUGS & CONNECTORS

- Extra-Hard Use
- Heavy-Duty MaxGrip® M³



### SPD & ISOLATED GROUND DEVICES

- Construction Grade Isolated Ground
- Heavy-Duty Turnlok® Isolated Ground
- Heavy-Duty Isolated Ground SPD
- Heavy-Duty SPD
- Construction Grade SPD



### IEC 309 INDUSTRIAL PRODUCTS

- Fusible & Non-Fusible Mechanical Interlocks
- Fusible & Non-Fusible Safety Switches
- Pin & Sleeve Devices

## ALSO AVAILABLE...

- Lighting Controls
- USB Charging Devices
- Hospital Grade Devices
- PlugTail Devices
- GFCIs
- SPD Isolated Ground Devices
- Ground Continuity Monitoring Devices
- Straight Blade Plugs & Connectors
- Turnlok® Locking Devices
- IEC 309 Industrial Products
- Flexcor® Wire Mesh Grips


**Electrical Wiring Systems**

P.O. Box 4822
Syracuse, NY 13221-4822
Phone: 1.800.776.4035
www.legrand.us/passandseymour

570 Applewood Crescent
Vaughan, Ontario L4K 4B4
Phone:905.738.9195
www.legrand.ca



**SF2502R2 – Updated January 2014 – For latest specs visit www.legrand.us/passandseymour**



© Copyright 2014 All Rights Reserved Legrand EWS/CGXTP