

ELLIOTT ELECTRIC SUPPLY 2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



T75 2-1/2" Alu T SR5 Conduit Body Crouse-Hinds

Catalog Number	T75
Manufacturer	Crouse-Hinds
Description	Eaton Crouse-Hinds Series Condulet Series 5 Conduit Outlet Body, Rigid/Imc, Copper-Free Aluminum, T Shape, 2-1/2"
Weight per unit	5.7 (lbs/each)
Product Category	Alum
Features	
connection	Threaded / Set Screw
dimensions	14.0000 IN X 4.5000 IN X 4.0000 IN
Form	Series 5
Material, Color, and Finish	
Color	Gray
Finish	Epoxy Powder Coat
Dimensions and Weight	
Height	4.00
Hub Size	2-1/2 in
Length	14.00
Width	4.50
Descriptions	
Description	2-1/2" ALU T SR5 CONDUIT BODY
extra long description	MIDWEST T75 2 1/2 RGD T COND BODY A
Features	Eaton's Crouse-Hinds Division Series 5 die cast copper-free aluminum conduit bodies, covers and gaskets are available for use with rigid or EMT conduit (with set screw). Conduit bodies are available in trade sizes 1/2" to 4", in the most popular conduit body shapes (C, LB, LL, LR, T) and 1/2" to 2" in TB and X shapes. The Series 5 family is available as components or pre-packaged in various configurations as a SnapPack assembly. In addition, Series 5 is completely interchangeable with other manufacturer
Long Description	Eaton Crouse-Hinds series Condulet Series 5 conduit outlet body Rigid/IMC, Copper-free aluminum, T shape, 2-1/2"
Product Type	2 1/2 RGD T Cond Body Al
Special Features	Corrosion Resistant



ELLIOTT ELECTRIC SUPPLY 2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Manufacturer Information

Brand	EATON CROUSE-HINDS SERIES
GTIN	00784564140470
UPC	784564140470

Taxonomies, Classifications, and Categories

Category Description	FORM 5 CONDULETS, COVERS, & GASKETS
Туре	Conduit outlet body

Packaging

Carton	1	
Weight Per each	5.65	

Uses, Certifications, and Standards

Application	Commercial / Institutional Buildings / Structures - Commercial /
	Institutional Buildings / Structures - Other
Enclosure	Condulet
Mounting	Conduit
standard	UL, cUL