



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.  
75964-0000, TX Nacogdoches  
Phone: 936-569-7941  
Fax: 936-560-4685



## WSXGY Gray WL SW Sensor

*Lithonia Lighting - Acuity*

Catalog Number	WSXGY
Manufacturer	Lithonia Lighting - Acuity
Description	Wall Switch Sensor , Gray, Sku - 219R09
Weight per unit	0.3100 (lbs/each)
Product Category	Lighting Occupancy Sensors

### Features

average life	87,600
dimnable	Yes
Hardware	Yes
Material	Plastic
Power Source	Hardwired
Shape	Rectangular
supply voltage	120, 277
Voltage Rating	120,277
Warranty	5

### Material, Color, and Finish

Lens Material	Plastic
---------------	---------

### Dimensions and Weight

Height	4.5
Length	1.5
Width	2.25

### Descriptions

Description	GRAY WL SW SENSOR
extra long description	LITH WSX GY Wall Switch Sensor, Gra
Long Description	Wall Switch Sensor , Gray, SKU - 219R09
Product Type	Sensor
Special Features	The WSX Family of wall switch occupancy sensors provides simple and cost effective solutions for commercial and residential lighting control applications. All WSX Family sensors have a stylish low profile appearance, soft-click buttons, and provide small motion detection up to 20 ft (6.10 m), making them perfect for private offices, private rest rooms, closets, copy rooms, or any other small enclosed space. Additionally, all WSX Family sensors have a patent-pending wiring method that enables them to functi



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.  
75964-0000, TX Nacogdoches  
Phone: 936-569-7941  
Fax: 936-560-4685

## Manufacturer Information

Brand	sensorswitch
GTIN	00820476167799
Manufacturers Part Number	WSX GY
UPC	820476167799

## Taxonomies, Classifications, and Categories

Category Description	Residential Switches
Type	Wallstation

## Packaging

Carton	1
Weight Per each	0.31

## Uses, Certifications, and Standards

Application	Education, Government, Healthcare, Hospitality, House of Worship, Manufacturing, Offices & Banks, Retail, Sports and Recreation, Warehouses
environmental conditions	Indoor
Mounting	Semi-recessed
standard	cUL, UL