

Specifications

Eaton XTOE045DCS

Eaton C440 electronic overload relay, XT IEC Electronic Overload Relay, 9-45A overload range, 55 mm Frame size, NO-NC contact configuration, Direct to contactor mounting, Selectable - 10A, 10, 20, 30 trip type



General specifications

PRODUCT NAME	Eaton C440 electronic overload relay
CATALOG NUMBER	XTOE045DCS
UPC	786685416533
PRODUCT LENGTH/DEPTH	1.8 in
PRODUCT HEIGHT	4.3 in
PRODUCT WIDTH	1.42 in
PRODUCT WEIGHT	0.87 lb
COMPLIANCES	ATEX Compliant RoHS Compliant CE Marked
CERTIFICATIONS	UL Listed IEC 60947 CSA Certified EN 60947



Powering Business Worldwide

Product specifications

OVERLOAD RANGE	9-45A
TYPE	Electronic overload relay
FRAME SIZE	55 mm
MOUNTING METHOD	Direct
CONTACT CONFIGURATION	NO, NC
TRIP TYPE	Selectable 10 A, class 10 ,20, 30

Resources

BROCHURES	C440 Electronic Overload Relay
CATALOGS	Motor Control and Protection, NEMA Contactors and Starters, Volume 5, Tab 2
SPECIFICATIONS AND DATASHEETS	Eaton Specification Sheet - XTOE045DCS

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark. Follow us on social media to get the latest product and support information.

All other trademarks are property of their respective owners.

