# Eaton XTOE100GCS

# Catalog Number: XTOE100GCS

Eaton C440 electronic overload relay, XT IEC Electronic Overload Relay, 20-100A overload range, 105 mm Frame size, NO-NC contact configuration, Direct to contactor mounting, Selectable - 10A, 10, 20, 30 trip type



## General specifications

### **Product Name**

Eaton C440 electronic overload relay

### **UPC**

786685416571

### **Product Height**

6.5 in

### **Product Weight**

0.87 lb

### Catalog Number

XTOE100GCS

### Product Length/Depth

7.5 in

#### **Product Width**

3.253 in

### Compliances

CE Marked

RoHS Compliant ATEX Compliant

### Certifications

**UL** Listed

CSA Certified

IEC 60947

EN 60947



## Product specifications

Overload range

20-100A

Type

Electronic overload relay

Frame size

105 mm

Mounting method

Direct

Contact configuration

NO, NC

Trip type

Selectable 10 A, class 10 ,20, 30

### Resources

**Brochures** 

C440 Electronic Overload Relay

Specifications and datasheets

Eaton Specification Sheet - XTOE100GCS



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2025 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia

# Eaton XTOE100GCS

# Catalog Number: XTOE100GCS

Eaton C440 electronic overload relay, XT IEC Electronic Overload Relay, 20-100A overload range, 105 mm Frame size, NO-NC contact configuration, Direct to contactor mounting, Selectable - 10A, 10, 20, 30 trip type



## General specifications

### **Product Name**

Eaton C440 electronic overload relay

### **UPC**

786685416571

### **Product Height**

6.5 in

### **Product Weight**

0.87 lb

### Catalog Number

XTOE100GCS

### Product Length/Depth

7.5 in

#### **Product Width**

3.253 in

### Compliances

CE Marked

RoHS Compliant ATEX Compliant

### Certifications

**UL** Listed

CSA Certified

IEC 60947

EN 60947



## Product specifications

Overload range

20-100A

Type

Electronic overload relay

Frame size

105 mm

Mounting method

Direct

Contact configuration

NO, NC

Trip type

Selectable 10 A, class 10 ,20, 30

### Resources

**Brochures** 

C440 Electronic Overload Relay

Specifications and datasheets

Eaton Specification Sheet - XTOE100GCS



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2025 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia